

Contents

B&G Products

Tank Sprayers	4
Sprayer Parts List	6
Sprayer Parts and Accessories	8
Compact Sprayer	10
Specialty Sprayers	11
Termite Control	12
Backpacks	14
Fogging Equipment	15
Aerosol Delivery	16
Dusters and Dust Application	18
Versaduster	20
Bait Gun & Holster	21
Foaming Equipment	22
Technicians Service Case	24
Carry Case	25
IPM Case	26
Fly Control	27
Monitors & Bait Stations	28
Rodent Control	29
Low Profile and Mini-T Monitor	30
Monitors & Traps	31
Versa-Fogger	32

Agrisense Products

Cockroach Traps	34
Bed Bug Traps	36
Stored Product	37
Moth Monitoring	38
Moth Monitoring Kits	39
Stored Product Moth Lures	40
Other Moth Lures, Accessories & Spares	41
General Insect	42
Beetle Monitoring Traps	43
Beetle Lures	44
Wasp Traps & Bait	45
Fly - General	46
Fly - Garden / Glasshouse	47

Silvandersson Products

Fly String	50
Fly Sheets and Sleeves	51
Fly Rollers	52
Fly Traps	53
Bed Bug and Silverfish Traps	54
Freezing Technology	55
Core Dot	56
UV Glue Boards	57

Curtis Dyna-Fog Products

Hand Held ULV	58
Backpack ULV	62
Truck Mounted ULV	63
Hand Held Thermal Fogging	68
Truck Mounted Thermal Fogging	73

General Contact Information



Postal Address:

135 Region South Drive,
Jackson,
GA 30233




Phone:

Toll Free 800-544-8811
Fax 678-688-5633




Visit our website:
bgequip.com



Tank Sprayers

The world famous B&G Sprayer is available in a variety of models and with features that fit every pest control application. Built from the highest quality components, the B&G Sprayer is designed for years of dependable service.





Extenda-Ban features

EXTENDA-BAN

Top quality valve for instant tip shut-off

B&G 4 WAY TIP (except where noted)

With fine fan, coarse fan, pin stream, and either a Crack & Crevice Straw or orifice ("CC") or a second pin stream ("S")

The B&G 4 Way Tip meets the labeling requirements of most modern insecticides.

XR-Valve features

XR-GUN

The most cost effective gun still offering various extension lengths but without tip shut-off

Extenda-Ban

TANK CAPACITY	EXTENSION	MODEL#	ORDER#
1/2 Gallon	9"	N74-CC	11003275
1 Gallon	9"	N124-CC	11003900
5 Liter	9"	N524-CC	11008400
1/2 Gallon	9" without C&C	N74-S	11003200
1 Gallon	9" without C&C	N124-S	11003500
5 Liter	9" without C&C	N524-S	11008450
1/2 Gallon	18"	N74-CC-18	11003285
1 Gallon	18"	N124-CC-18	11003950
5 Liter	18"	N524-CC-18	11008425
2 Gallon	18"	N224-CC	11004300
3 Gallon	18"	N324-CC	11004600
1/2 Gallon	18" without C&C	N74-S-18	11003225
1 Gallon	18" without C&C	N124-S-18	11003700
2 Gallon	18" without C&C	N224-S	11004200
3 Gallon	18" without C&C	N324-S	11004500
1 Gallon	24"	N124-CC-24	11003924
5 Liter	24"	N524-CC-24	11008440
2 Gallon	24"	N224-CC-24	11004375
3 Gallon	24"	N324-CC-24	11004650


XR-Valve

TANK CAPACITY	EXTENSION	MODEL#	ORDER#
1/2 Gallon		N54-CC	11001195
1/2 Gallon	without C&C	N54-S	11001100
1 Gallon	9"	N104-CC	11001450
1 Gallon	9" without C&C	N104-S	11001400
1 Gallon	9" with 8004 Fan Tip	N100-S	11001200
1 Gallon	18"	N104-CC-18	11001460
2 Gallon	18"	N204-CC	11001705
1 Gallon	18" without C&C	N104-S-18	11001425
2 Gallon	18" without C&C	N204-S	11001700
1 Gallon	18" with 8004 Fan Tip	N100-S-18	11001203
2 Gallon	18" with 8004 Fan Tip	N200-S	11001600
3 Gallon	18" with 8004 Fan Tip	N300-S	11001800

Ban-Drip

TANK CAPACITY	EXTENSION	MODEL#	ORDER#
1/2 Gallon	None	N64-CC	11002090
1 Gallon	None	N114-CC	11002600

Sprayer Parts List




ITEM#	PART #	ORDER #	DESCRIPTION
1	T-50	22024800	Tank (1/2 Gallon)
	T-100	22025000	Tank (1 Gallon)
	T-200	22025100	Tank (2 Gallon)
	T-300	22025200	Tank (3 Gallon)
	T-500	22025250	Tank (5 Liter)
2	HS-297	22025600	Tube, Siphon (1/2 Gallon)
	OS-297	22025700	Tube, Siphon (1 Gallon)
	TS-297	22025800	Tube, Siphon (2 Gallon)
	THS-297-01	22025901	Tube, Siphon (3 Gallon)
	FS-297	22025950	Tube, Siphon (5 Liter)
3	HA-298	22025300	Adapter, Hose
4	TB-1	22049477	Bottom, Tank (1 Gallon Only)
5	TT-1	22049476	Top, Tank (1 Gallon Only)
8	5700-H	22049475	Holder, Tip (Not used with Item 5)
9	D-50	22030100	Hose, 4 ft., red
10	D-51-P	22030400	Washer, Hose
11	PH-265	22026900	Pump Assembly (1/2 Gallon)
	PO-265	22027000	Pump Assembly (1 Gallon)
	PF-265	22027125	Pump Assembly (2 Gallon & 5 Liter)
	PT-265	22027100	Pump Assembly (3 Gallon)
12	P-275	22029800	Handle, Pump
13	P-276	22029900	Spring, Pump Lock
14	P-274	22029700	Cap, Pump
15	PH-273	22029400	Rod, Plunger (1/2 Gallon)
	PO-273	22029500	Rod, Plunger (1 Gallon)
	PF-273	22029650	Rod, Plunger (2 Gallon & 5 Liter)
	PT-273	22029600	Rod, Plunger (3 Gallon)
16	P-269-SS	22028250	Nut, Plunger
17	P-272	22029200	Plate, Back
18	NP-277	22029000	Cup, Polypropylene
	NP-271	22028800	Cup, Leather
19	NP-270	22028600	Plate, Cup Spreader
20	P-269A	22028400	Washer, Lock
21	P-268	22028000	Gasket, Pump
22	PH-267	22027400	Tube, Pump (1/2 Gallon)
	PO-267	22027500	Tube, Pump (1 Gallon)
	PF-267	22027650	Tube, Pump (2 Gallon & 5 Liter)


ITEM#	PART #	ORDER #	DESCRIPTION
22	PT-267	22027600	Tube, Pump (3 Gallon)
23	PV-266	22027200	Valve, Check
24	120	22042101	Valve, Extenda-Ban 9" (less tip)
	220	22042203	Valve, Extenda-Ban 18" (less tip)
	420	22042778	Valve, Extenda-Ban 24" (less tip)
25	VB-147	22044450	Valve Body Kit
26	VT-140	22042800	Trigger, Valve Housing, Screw
30	PN-150-2	22042455	Nut, Packing
30A	PN-150-1	22042454	(1999 - 2000) Nut, Packing
31	VP-151	22045099	Packing, Valve
32	PN-150	22044900	Nut, Packing (Prior to 1999)
34	AS-148	22044500	Adjusting Screw, Lock nut, Snap ring
36	SL-162	22046700	Nut, Safety Lock
37	MS-145-50	22043800	Strainer, 50 Mesh Support, Strainer
39	NG-146	22044200	Gasket, Nylon
40	SA-143	22043400	Housing, Strainer
	VC-152	22045300	Cable, Valve 9"
	VC-153	22045400	Cable, Valve 18"
42	VC-163	22045450	Cable, Valve 24"
	VE-154	22045500	Extension, Brass 9"
43	VE-155	22045600	Extension, Brass 18"
	VE-164	22045650	Extension, Brass 24"
44	VE-154-SS	22045510	Extension, Stainless Steel 9"
	VE-155-SS	22045610	Extension, Stainless Steel 18"
45	VE-164-SS	22045710	Extension, Stainless Steel 24"
	VS-156	22045700	Spring, Seat Stem
46	SSL-157	22045900	Nut, Seat Stem
47	SS-158	22046100	Stem, Seat
48	SP-159	22046300	Gasket, Soft Seat
49	5850-CC	22049466	B&G 4 Way C&C Tip Assembly (Parts 48-51)
	5850	22049451	Tip Assembly (No C&C)
50	9751-M	22049300	Holder, B&G 4 Way C&C Tip
51	4190	22034700	Gasket, Viton®
52	5800-CC	22049467	Tip, B&G 4 Way C&C
	5800	22049452	Tip only (No C&C)
53	4596	22034500	Retainer, Tip
54	5700-B	22049200	Extension, Crack & Crevice

Sprayer Parts and Accessories

Nozzles



Straws and Needles



19 B&G Cleaning Kit

Extend the life of your B&G Sprayer with the B&G cleaning kit.

- Less down time
- Better application
- Specially designed for use with B&G Sprayers
- Improve productivity



20-21 Sprayer Tune Up Kit

Keeps your sprayer in perfect working order. Apply pesticides that meet labeling requirements without over-application. Includes instructional DVD on how to clean and repair your sprayer. Priced at a savings of over 20% compared to purchasing individual parts.



24 Quick Connect Kit

- Quick change-out of valves in the field
- Use to prevent freezing of valve in the winter by removing valve from the sprayer
- Inserts between valve and hose



22-23 Sprayer Caddy

Mounts in your service vehicle and holds your sprayer firmly in place. Helps prevent damage or chemical spillage during transportation.

- Heavy duty metal construction
- Chip resistant finish
- Mounting holes for either side or bottom mounting



25 Comfort Grip

Add the B&G Comfort Grip handle to your sprayer.

- Reduce fatigue
- Feels great
- Great for replacements
- Non-slip grip
- Identify product



26-27 Gasket Kits

Designed for rebuilding sprayers. Includes the most commonly needed parts when repairing a sprayer.



28-31 First Aid Kits

Same as the Gasket Kit but includes higher volumes of all parts. Good for conducting Care & Maintenance classes for an entire office.



30 Technicians Emergency Kit

Commonly needed parts for most B&G equipment. Includes easy to understand drawings of parts, repair hints, and refill quantities. Works in conjunction with the Office Emergency Kit as a refilling station.



31 Office Emergency Kit

A great inventory system for B&G repair parts. Contains more quantities of those parts in the Technician Emergency Kit and also has many less common parts not included in the Technician Emergency Kit. Recommended for office supply rooms. Good for offices with 3 to 8 technicians. Includes easy to understand drawings of parts, repair hints, and refill quantities.

ITEM	DESCRIPTION	MODEL#	ORDER#
Tip Assemblies			
1	B&G 4 Way C&C Tip Assembly (complete)	5850-CC	22049466
2	B&G 4 Way Tip Assembly (complete)	5850	22049451
3	Pin-to-Cone (other sizes available)	5500-Y-2	22036600
4	Adjustable Pin-to-Cone	AV-210	22083602
Nozzles			
5	B&G 4 Way C&C Tip	5800-CC	22049467
6	B&G 4 Way Tip Only (no C&C orifice)	5800	22049452
7	Adjustable Tip Assembly	5900	22035200
Straws & Needles			
8	Plastic C&C Straw (fits directly on a gun with a 1325 Tip Cap)	100-CC	22049500
9	1" plastic C&C Straw (fits in B&G 4 Way C&C tip)	1603	22071703
10	Ban-Drip Fan Tip (3/16" dia., 12" long) (requires 1325 Tip Cap)	1052	22039677
11	6" plastic C&C Straw (fits in B&G 4 Way C&C Tip)	5700-B	22049200
12	3.5" Stainless Steel Injector Needle (fits in B&G 4 Way C&C Tip)	5700-SS	22049400
13	2" Stainless Steel Void Tip (fits in B&G 4 Way C&C Tip)	5700-2	22071785
14	4" Stainless Steel 4 Way Void Tip (fits in B&G 4 Way C&C Tip)	5701	22049425
15	8" Mulch/Ant Mound Probe (fits any gun/ext. with 1325 Tip Cap)	100-8	22071684
16	1" Wood Injection Tip (requires 1325 Tip Cap)	Whit-1	22071824
17	4" Wood Injection Tip (requires 1325 Tip Cap)	Whit-4	22071827
18	1/2" Wood Injection Tip "better wood seal design" (requires 1325 Tip Cap)	Wood Tip	24040077
B&G Cleaning Kit			
19	B&G Cleaning Kit	-	22049625
Sprayer Tune-Up Kit			
20	Kit with 4 Way Crack & Crevice Tip	-	22049630
21	Kit with 4 Way Tip	-	22049631
Sprayer Caddy			
22	Caddy - 1 gallon & 5 liter (tall)	-	11009850
23	Caddy - 2, 3 gallon & 5 liter (short)	-	11009860
Quick Connect Kit			
24	Quick Connect Kit	-	22071825
Comfort Grip			
25	Comfort Grip Handle	-	22029800
Gasket Kits			
26	Sprayers with XR Valve	GT-100	22049600
27	Sprayers with Extenda-Ban Valve	GD-124	22050100
First Aid Kits			
28	Sprayers with Extenda-Ban Valve	FA-600-D	22050400
29	Sprayers with Ban-Drip Valve	FA-600-B	22050300
30	Technician Emergency Kit	TE-125	23088125
31	Office Emergency Kit	OE-126	23088126

Compact Sprayer

The AccuSpray is an important tool for any IPM Program. The compact design allows insecticide to be applied to areas where insect activity is present. There are many models and configurations available.

NEW
PRODUCT

1

AccuSpray Elite

- Brass Extenda-Ban valve
- All metal bottle
- Heavy duty hose assembly
- Wide variety of tips
- Deluxe holster includes pocket for C&C straw



ITEM	DESCRIPTION	ORDER#
1	AccuSpray with Push Button Trigger Valve	24000040
2	AccuSpray Elite – 4 Way Tip with Crack & Crevice Straw	24000100
3	AccuSpray Elite – Crack & Crevice Straw Only	24000102
4	AccuSpray Elite – Termite Injection Tip	24000101
5	Tip Kit for 24000040	24000031
6	Spare Bottle and Cap	24000115
7	Seal and Gasket Kit (AccuSpray Elite)	24000037
8	Rebuild Kit (AccuSpray)	24000001

4

AccuSpray

- 16 oz. working capacity
- 6' coiled hose
- High efficiency pump – less than 10 strokes to pressurize
- Push button trigger provides fine spray and includes a C&C straw



Specialty Sprayers



1-2

Wood Treatment System (WTS)

The B&G Wood Treatment System produces 10-15 times the volume of liquid as compared to a traditional foamer and 5 times more capacity as compared to typical fan sprays. This ensures that the chemical can penetrate deeper than any other method.

- Delivers liquid or foam insecticide
- 3-gallon tank, 30' or 50' hose
- Compressor maintains tank pressure, adjustable to 50 psi.
- Ideal for pre-treatments of structural wood, sub-slab re-treatments for termites
- 220V Models available. Contact B&G for more information

**Creates Both
Foam & Liquid**



3

SpotSprayR

The perfect spot sprayer for all specialty chemical applications.

- Heavy-duty construction
- Chemical resistant seals
- All metal bottle with brass spray tip
- Adjustable spray tip (pin to cone)
- High efficiency pump
- Chemical resistant high wear belt holster included
- Economical yet durable

4-8

QT-1 Sprayer

The perfect spot sprayer for all specialty chemical applications.

- Ideal for applying microbial cleaners or other chemicals
- Liquid and foaming models – 1.5 liter capacity
- Great for spot treatments
- High quality construction with Viton® seals

9-10

Green Sprayer

Can be used with all natural products, most common insecticides and Non Repellent type products. In addition to promoting a green image, with its green top and bottom, it allows the technician to easily identify the contents of the sprayer.

- Models with 9" or 18" extensions available
- Chemical resistant hose
- B&G 4 Way Tip
- Green top and carpet protector
- This sprayer meets the labeling requirements of most "Common Insecticides"



ITEM	DESCRIPTION	ORDER#
1	WTS-Standard 30' of hose, single surface tip, and wall void tip	24040000
2	WTS-Deluxe 50' of hose, cart handle extender, single 6" surface tip, wall void tip, dual 10" surface tip, and pressure injection tip	24040001
3	SpotSprayR	24000107
4	QT-1 with FN-2280 Foam Tip	17017408
5	QT-1 with 5700-B Tip	17017404

ITEM	DESCRIPTION	ORDER#
6	QT-1 with SST Inject Tip	17017403
7	QT-1 with Adjustable Tip	17017401
8	QT-1 with Fan Tip	17017407
9	Green Sprayer 9" Valve, CC 4-Way Tip	11003917
10	Green Sprayer 18" Valve, CC 4-Way Tip	11003958

Termite Control

Series 400 Termite Tools

When was the last time you upgraded your termite tools? B&G Series 400 Termite Tools puts you in control of termite treatment costs. Apply the correct amount of termiticide every time, in precise locations. Reduce technician fatigue. Do it right the first time with our complete sets of termite tools.

- 4 precision delivery tips included
- Quick change adapters are standard on all pipes
- Custom tools built to fit your specific needs
- Designed to meet current labeling requirements of termiticides
- Tip shut-off available on some models



1-3

Versagun


- Best termite valve in the business
- "Balanced" trigger for less operator fatigue



4-6

Robco QCG

- Pressure gauge port at valve
- Easily converts to a perimeter spray gun



7-10


Versatool

- "Old Reliable"
- Economical and durable

11-13


Pipes

- All 7/16" pipes – stainless
- 5/8 Stainless rodding pipe
- Variety of lengths for all applications
- Comes complete with foot ram assembly



Tips (included with each Termite Tool kit)


- Designed for a wide range of applications
- Stainless steel construction
- Tips are calibrated at 20 psi
- Wide variety of sizes
- Precision machined



18-21


Optional Termite Tool Tips and Extenda-Pipes

- Fits All Series 400 Termite Tools




Sub-Slab Injectors and Rodding Tools

- Wide variety of models
- Designed to meet current labeling requirements of all modern termiticides
- Certified accurate



Trebor® Triple Seal

The most effective and easiest plug to install for termiticide applications. A hollow core and three flexible lips allows this patented plug to conform to hole irregularities better than solid core plugs. Available in three sizes. Hole size clearly marked on top to eliminate errors.



ITEM	DESCRIPTION	MODEL#	ORDER#
Termite Tool Models			
1	Entry level Versagun tool - (Versagun) - No tip shutoff	430	11007430
2	Our best tool kit - great for all applications & tip shutoff - (Versagun)	435	11007435
3	Shutoff only		11007406
4	Basic Tool with Robco Valve - (Robco QCG) - No tip shutoff	420	11007420
5	Deluxe Robco Tool with tip shutoff - (Robco QCG)	425	11007425
6	Shutoff only		22067700
7	Basic Tool - (Versatool) - No tip shutoff	410	11007410
8	Deluxe Kit with Versatool valve & tip shutoff - (Versatool)	415	11007415
9	Slab Injector with 1340 Pipe - (Versatool) - No tip shutoff	484	11007375
10	Shutoff only		11007407
Pipes			
11	12" x 7/16"	-	22071427
12	40" x 7/16"	-	22071428
13	40" x 5/8"	-	22071429
Tips			
14	360° - 7/16" Tip	451	11007451
15	180° - 7/16" Tip	453	11007453
16	Void Tip - 7/16" Tip	457	11007457
17	360° - 5/8" Tip	454	11007454
Optional Termite Tool Tips and Extenda-Pipes (Fits All Series 400 Termite Tools)			
18	360° Tip	450	11007450
19	180° Tip	452	11007452
20	5/8" x 40" Pipe	465	11007465
21	7/16" x 40" Pipe	460	11007460
Sub-Slab Injectors and Rodding Tools			
22	Sub Slab Injector SSI-4	-	11005965
23	Sub Slab Injector SSI-14	-	11005985
24	Robco Soil Rodding Tool	-	22067703
Trebor® Triple Seal			
25	9/16 Seal - 1 case (10 Buckets of 250 Seals)	4-562-505	45000562
26	1/2 Seal - 1 case (10 Buckets of 250 Seals)	4-500-504	45000500
27	3/8 Seal - 1 case (10 Buckets of 250 Seals)	4-375-504	45000375

Backpacks

1 - 4

Pest Pro II & Pest Pro IV

Economical and dependable backpacks designed for the Pest Control Professional.

- B&G 4 Way tip model meets new regulations on perimeter applications for pin stream application around doors and windows, and 3' (0.9m) fan spray of building foundations and soil
- Tip shut off for drip free application
- Dual position handle (right or left)
- Deluxe comfort shoulder strap
- Ideal for perimeter applications
- Piston pump mechanism
- All exclusive "No Leak" pump design. Pump is enclosed in tank and prevents chemical leakage on the operator which is common with other backpacks.

Includes
4 Way Tip



XR-Valve

- Most durable in the industry
- Comfort grip handle



5 - 6

SRG Perimeter Spray Gun

- High quality - Made in U.S.A.
- Stainless steel and brass with interchangeable nozzles
- Adjusts from cone spray to straight stream, drip free shut-off
- Rugged construction will give long, trouble-free service
- Ideal for pre-construction termite treatments
- Converts to a termite tool



ITEM	DESCRIPTION	ORDER#
1	PestPro IV (4 gallon) with Fan C+C Tip*	12014250
2	PestPro IV (4 gallon) with 4 Way C+C Tip	12014260
3	PestPro II (2 gallon) with Fan C+C Tip	12014249
4	PestPro II (2 gallon) with 4 Way C+C Tip	12014259
5	SRG Perimeter Spray Gun - Model SRG-6	22067701
6	SRG Perimeter Spray Gun - Model SRG-12	22067897

GALLONS PER MINUTE - WIDE ANGLE AND STRAIGHT STREAM

TIP NO.	40 PSI Setting		100 PSI Setting		200 PSI Setting		400 PSI Setting		MODEL#
	W	S	W	S	W	S	W	S	
6	1.1	1.2	1.7	1.8	2.5	2.6	3.5	3.7	SRG-6
12	3.9	4.4	6.2	6.9	8.7	9.8	12.3	13.8	SRG-12

Fogging Equipment

B&G heavy duty foggers have motors available in both 110V/60Hz or 220V/240V. Tank is rotationally molded and has seamless design for maximum strength. Made of corrosion resistant materials for use with many chemicals. 1.5 gallon capacity with 3-1/2" wide tank opening.

1

My-Ti-Lite 2300

- Ideal for general treatment with insecticides and sanitizers
- Flow rate approximately 9 ounces/minute
- Non-adjustable
- Non-ULV



2

Ultra-Lite 2400

- Adjustable flow rate up to 2.5 ounces/minute
- Variable delivery from ULV droplets to mist
- Economically priced yet very effective
- ULV




See a video of these products in action at www.bgequip.com



3

Flex-A-Lite 2600

- Adjustable flow rate up to 2.5 ounces/minute
- Extension hose is 18" long
- Variable delivery from ULV droplets to mist
- Ideal for fly control indoors
- ULV



ITEM	DESCRIPTION	MODEL #	ORDER #
1	My-Ti-Lite Fogger	2300	15015000
2	Ultra-Lite Fogger	2400	15015100
3	Flex-A-Lite Fogger	2600	15014901

For 220V models, please contact B&G for order numbers.

Aerosol Delivery



See a video of these products in action at www.bgequip.com



1-2

Aerosol Delivery Unit

Aerosol delivery just got easier at half the price of competitive units.

- Works with "BASF™" products
- Promotes professional image
- Quickly snaps on can with no leaking of propellant
- Easy to use on/off valve
- 6' (1.8m) coiled hose
- Sure seal design – no continual seal replacement necessary

New Holster Design



3-4


Holsters

Increase your professional appearance. Carry your aerosols using B&G holsters.

- Chemical and wear resistant material
- Belt loop for easy access
- Pockets to conveniently hold straws
- Heavy duty construction and economically priced

SIMPLY PUSH INNER RING AND CLICK OUTER RING. YOU'RE ATTACHED AND READY TO GO!

EASY TO USE ON/OFF VALVE



ITEM	DESCRIPTION	MODEL #	ORDER #
1	BASF™ (WIT) / Standard	ADUWM	24000050
2	BASF™ (WIT) / Deluxe-Brass HDL	ADUWM	24000076

ITEM	DESCRIPTION	MODEL #	ORDER #
3	Standard Holster		24000073
4	Deluxe Holster		24000072

Portable Aerosol Systems

The B&G ULV Portable Aerosol System gives you deep wall void penetration, crack and crevice along with localized fogging capabilities and costs much less than competitive equipment. It has the capability of also doing a liquid only application for crack and crevice work or an air only application for use in a flushing operation.



1-4

Portable Aerosol System

- One gallon stainless tank, can be easily removed from case for cleaning or filling
- Brass and stainless steel gun with your choice of 9" (23cm) or 18" (45.7cm) extension
- 10' (3m) self coiling hose (15' (4.5m) on commercial units)
- Tank can be removed from case for spot treatments
- Many models available, including a commercial version, which features a fan cooled compressor along with a 15' (4.5m) hose
- Liquid pressure is adjustable to give you from a heavy mist to ULV fog
- All units are field repairable—no need to return the unit for service
- Save 90% on the cost of purchasing aerosols in a can—create your own with the Portable Aerosol System

Priced at half the competition and great for all applications from bed bugs to commercial kitchens to general pest.

Portable Aerosol System shown in cut away view.

5

Cart-Mounted Portable Aerosol System

Same great features as the case-mounted unit except in a cart-mounted version.

- 3 gallon stainless tank for extra capacity
- Easy to use and clean
- 15' self-coiling hose
- 18" stainless steel extension and tip



See a video of these products in action at www.bgequip.com



ITEM	DESCRIPTION	ORDER #
1	Unit with 9" Extension	16290000
2	Unit with 18" Extension	16300000
3	Commercial Unit with 9" Extension	16270000
4	Commercial Unit with 18" Extension	16400000
5	Cart-Mounted Portable Aerosol System	12011030

Dusters & Dust Application

1

Bulb Duster

- Excellent for granule or dust applications
- Flexible base on extensions for hard-to-reach areas
- B&G quality – heavy-duty construction
- Extra tip extension for hard to reach areas
- Extension doubles as siphon tube if needed
- Self-sealing – no need for gaskets
- All plastic tips for “No Worry” application around electrical outlets
- Belt clip
- Superior dust and granular delivery

2


Tip Kit

- Can be used as extensions for many of our dust and granular products
- All plastic construction


3 - 4

Versaduster

Now use your PAS or Versafoamer as a power duster. Comes as a complete kit and simply plugs in. Great for commercial kitchens or bed bug treatments.



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Bulb Duster	1150	11005810
2	Tip Kit	DB-KIT	11005811
3	Versaduster Kit	-	24010901
4	Spare Bottle and Tips	-	24011902
5	Long Reach Granular Dust-R	1153-G	24050000
6	Mini Dust-R	1151-M	11005850
7	Hand Dust-R	1152-A	11005800
8	110V Electric Duster	2250	15015605
9	12" Extension	2259	29108459



5

Long Reach Granular Dust-R


- Chamber holds 2 quarts of dust
- Ideal for treating attics and crawl spaces
- Great for treating wasp nests
- 3–14" (7.6–35.5cm) extensions
- Extension adds a static charge to the dust



6

Mini Dust-R


- Chamber holds 0.5 lb. of dust, 7 oz. of granules
- Large opening for easy filling and emptying
- Consistent delivery of granules
- Tip kit included for all applications
- Great for most dust applications



7

Hand Dust-R

- Chamber holds 2 quarts of dust
- Extension adds a static charge to the dust
- Ideal for treating attics and crawl spaces
- Includes 12" (30.5cm) extension with 90° off-set at end of the tube
- Variety of tips included



8 - 9

110V Electric Duster

- Chamber holds 3 lbs. of dust or granules
- Extension adds a static charge to the dust
- Flexible 1' hose to direct material to target
- Available in 110V or 220V
- 12" direct application attachment 90° off-set at end of the tube



See a video of these products in action at www.bgequip.com

Versaduster

The new Versaduster from B&G is a very reliable power duster at an economical price. Great for all dust applications from commercial kitchens to bed bug treatments.

1

Versaduster

- No batteries required
- Easily serviced
- Economically priced
- 40' recoiling hose
- Easy to fill
- Heavy duty XR Valve
- Works with all dust formulations
- Easily plugs into any power source
- Heavy duty design built for years of dependable service
- "No Clog" design applies a dust application with each pull of the trigger
- Can be purchased as a kit (without compressor) for use with a PAS or Versafoamer

3 Tip Kit

THE VERSADUSTER COMES WITH A LARGE AND SMALL DUST BOTTLE AND A VARIETY OF TIPS.

HEAVY DUTY FAN COOLED COMPRESSOR UNIT FOR LONG SERVICE LIFE. ELECTRICAL CONNECTION IS MADE BY USE OF A STANDARD EXTENSION CORD.

ADJUSTMENT KNOB TO CONTROL DUST OUTPUT.

4 Spare Bottles and Tips

ITEM	DESCRIPTION	ORDER #
1	Versaduster System Complete – 110V	24010900
2	Kit (no compressor) – Use with PAS or Versafoamer	24010901

ITEM	DESCRIPTION	ORDER #
3	Tip Kit	24010904
4	Spare Bottles and Tips	24011902

Bait Gun & Holster



1 - 3

Multi-Dose Bait Gun

- Consistent delivery with each trigger pull
- Works with most baits
- Patented plunger design eliminates drip at the tip
- Range of bait placement sizes available from calibrated knob
- Precision application of gel baits for cockroach and ant control
- Saves you money on wasted bait due to over application when using generic bait guns
- Deluxe bait holster available



See a video of these products in action at www.bgequip.com

4

Bait Gun Holster

- Removable tube in holster keeps holster clean from accidental bait drips
- Pocket in front for needles and tips
- Straps on each side for extra bait tubes
- Works with a wide variety of bait guns
- Velcro belt strap
- Heavy duty military grade material



5

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Multi-Dose™ Gun Kit — Includes gun, extra syringe and syringe tip	3000	24020001
2	Multi-Dose™ Basic Kit — Gun with no accessories	3000-B	24020002
3	Multi-Dose™ Gun Deluxe Kit — Includes model 3000 and holster	3000-DL	24020000
4	Bait Gun Holster	-	24020040
5	Replacement Tubes (5)	-	24020041


Foaming Equipment

1

Versafoamer HH

- Just hand pump and foam
- Great for wall voids and drains
- Stainless steel tank
- Heavy-duty construction
- Excellent for termites, ants or small flies
- Portable and easy to use
- No adjustments, makes great foam every time
- Most parts interchangeable with standard B&G parts
- Economically priced

3-5 Optional Tips




6-7

Sprayer Caddy

Mounts in your service vehicle and holds your foamer firmly in place. Helps prevent damage or chemical spillage during transportation.

- Heavy duty metal construction
- Chip resistant finish
- Mounting holes for either side or bottom mounting



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Versafoamer HH	HH	11007360
2	Gasket and Rebuilt Kit	GT-100	22049600
3	Optional Drain Tip		16200023
4	Optional Straight Tip		16200018

ITEM	DESCRIPTION	MODEL #	ORDER #
5	Curved Tip (included with unit)		16200013
6	Caddy – 1 gallon & 5 liter (tall)		11009850
7	Caddy – 2, 3 gallon & 5 liter (short)		11009860

8 - 9

Versafoamer 4000

The B&G Versafoamer 4000 is an easy to use power foamer and can be used in a wide variety of foaming applications. It's made of heavy duty components and designed for years of dependable service.

- Electric, compressed-air system
- 1 gallon tank with pressure gauge
- Completely contained in leak-proof case
- No adjustments, great foam every time
- Quiet compressor motor, 7' hose
- Treat wall and cabinet voids
- Portable and easy to use



See 3 - 5 on previous page
for optional tips



10 - 13

ULV Portable Aerosol Sprayer/Versafoamer Combo Unit

Combine a PAS with a Versafoamer 4000 to create a totally flexible pest control system. Use just one case and compressor and easily change out tank and valve for each different application. An economical solution for a foamer/aerosol combo unit.

ITEM	DESCRIPTION	ORDER #
8	Versafoamer	16201003
9	220V Versafoamer	16201002
10	Commercial PAS-9" Extension with Versafoamer 4000	16500009


* 220V Models Available. Contact B&G for more information.

ITEM	DESCRIPTION	ORDER #
11	Commercial PAS-18" Extension with Versafoamer 4000	16500018
12	Standard PAS-9" Extension with Versafoamer 4000	16600009
13	Standard PAS-18" Extension with Versafoamer 4000	16600018

Technicians Service Case

An ultra portable case designed to fit into any service vehicle.


- Rotationally molded heavy duty construction
- Molded in circular pockets to hold aerosols, dust bulbs, and AccuSpray products
- Open area for bait guns, monitors, flashlights or other IPM products
- Available as a plain case with no interior pockets
- Literature holder in rear of case
- Modern ergonomic design
- Compact—measures 13" x 13" x 14" high (33cm x 33cm x 35.5cm)
- Variety of colors available
- Private label your company name for as little as 15 cases
- Superior dust and granular delivery



Case shown loaded with separately sold products.



Case with pockets.



Case with no pockets.

Additional colors available on request: Blue, Red, Black and Green

ITEM	DESCRIPTION	ORDER #
1	Gray - With Pockets	11008050
2	Black - With Pockets	11008051
3	Blue - With Pockets	11008052
4	Green - With Pockets	11008053
5	Red - With Pockets	11008054

ITEM	DESCRIPTION	ORDER #
6	Gray - No Pockets	11008055
7	Black - No Pockets	11008056
8	Blue - No Pockets	11008057
9	Green - No Pockets	11008058
10	Red - No Pockets	11008059

Carry Case

B&G Carry Cases

B&G carrying cases are rotationally molded for years of durability.

- Seamless construction, no leaks
- Child-resistant lock
- The Jumbo Case holds B&G Tank Sprayers and Other Equipment
- For full listing of colors and sizes available, please contact B&G

3

Wheeled Jumbo Case

B&G carrying cases are rotationally molded for years of durability.

Features heavy duty aluminum frame, removable stainless handle and durable wheels.

1

Junior Case

2

Jumbo Case



Additional colors available on request: Blue, Red, Black and Green

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Compact Case with Lock - 16-1/2" x 9-3/4" x 16-1/2" (39cm x 24cm x 41cm)	763 Grey	11008075
2	Jumbo Case with Lock - 16-3/4" x 14" x 19-1/4" (42cm x 35cm x 48cm)	760 Grey	16016100
3	Jumbo Wheeled Carry Case		12011035

IPM Case

New reinforced design.
Can now be used with the
AccuSpray Elite.

1

B&G IPM Kit with AccuSpray Elite

The new IPM Case instantly lets your customer know that you are a professional. Use it to organize all your IPM application tools so you'll not only look like a professional, but work like one, too!

- Outer zipper pocket holds frequently used items like insect monitors & bait stations
- Inner zipper compartment organizes bait tubes and bait gun
- Pockets on each side can hold Aerosols or AccuSpray units
- Inside the case can be customized using the adjustable dividers to hold anything from spare aerosol cans to spare dust bulbs to monitors
- D-rings keep B&G Bulb Duster, your cell phone and accessories within easy reach
- Rear Velcro® flap pocket holds laptop, clipboard, labels & sales information

3 - 4

B&G IPM Kits

Kit—includes ADU, AccuSpray, Bulb Duster and Low Profile Monitors

Bait Gun not included (shown for display purposes)

2

Case Only

Use your own IPM tools



ITEM	DESCRIPTION	ORDER #
1	IPM Kit with AccuSpray Elite	45000132
2	Case Only (No IPM Components)	45000165

ITEM	DESCRIPTION	ORDER #
3	IPM Kit with CB Products™ ADU	45000131
4	IPM Kit with BASF™ ADU	45000151

Fly Control

Built to industrial standards and designed for years of dependable service, the Matrix II is one light trap worthy of the B&G name.



Matrix II Light Trap

The Matrix II with its 4 bulb configuration and heavy duty metal construction makes it the most powerful and durable light trap available.

- Up to 100 watts of UV light
- 1 or 2 glue board configuration
- Attracts insects from two sides
- Most powerful trap available
- Available in white or black
- Mount on wall, or hang using concealed handles
- Shatterproof bulbs available
- Dimensions: 21" x 14" x 5"



See a video of these products in action at www.bgequip.com



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Matrix II Unit – White	FM-4 White	17050150
2	Matrix II Unit – Black	FM-4	17050063

ITEM	DESCRIPTION	MODEL #	ORDER #
3	Matrix II Glue board, 24/case	FM-4B	17050055
4	Matrix II Replacement Bulbs, 24/case	FM-4-BULB	17050053

Monitors & Bait Stations



TM-1 Termite Monitor

Provides a Valuable Service

Constantly monitors your customer's premises for possible termite presence. Allows you to address any termite activity immediately.

Increased Customer Retention


On a daily basis it gives your customer a reminder of the valuable service you provide. The B&G TM-1 Termite Monitor can be custom printed with your company information.

Increased Sales

Offers you the opportunity to supply a Termite Monitor Program as an "add on" service. When termite activity is present permits you the opportunity to immediately sell a termite protection and remediation program.

Inexpensive and Easy to Install and Service

The B&G TM-1 Termite Monitor is easy to install – no drills or augers are required. Servicing takes less than a minute and at a cost of less than \$2.00 per Monitor.



Outdoor Insect Bait Station

The ultimate system for monitoring and baiting.

- Accessible to crawling insects, including ants
- Holds liquid, granular, paste, and gel baits
- Season-long control method for IPM programs
- Patented design

Ants-Only Bait Station

- 4 compartments for liquid or granular bait
- Allows only ants to enter and leave with bait
- Holds enough liquid bait for colony control

ITEM	DESCRIPTION	MODEL #	ORDER #
1	TM – 48/carton, green (plain)		26000004
2	TM – 48/carton, brown (plain)		26000005
3	Cardboard Insert (100 pieces)		26000009
4	Stake Kit (90 pieces)		26000013
5	TM – 48/carton, green (plain) pallet quantity		26000100
6	TM – 48/carton, brown (plain) pallet quantity		26000101
7	TM – 48/carton, green (printed) pallet quantity		26000102
8	TM – 48/carton, green (printed) half pallet quantity		26000104
9	Green Cap – 100 units	PPS-1	24030111
10	General Pest Bait Station – base, 100 units	PPS-2	24030110
11	Ants-Only Bait Station – 100 units	PPS-2A	24030188
12	3" Ground Spike – 100 units	PPS-3	24030113
13	6" Ground Spike – 100 units	PPS-6	24030114



See a video of these products in action at www.bgequip.com

Rodent Control

The Fast Catch can be used for monitoring with non-toxic bait and then when activity is present a snap trap can be used for final control. It can also be utilized as a “stand alone” snap trap or rodent bait station.



Fast Catch Station

The Fast Catch station is available in two different models, the first is a station-only design and the second is our “Rodent Alert” design. This Patent pending design features a “pop up” alert that will notify you that the snap trap has been triggered.

- Heavy duty construction
- Easy open single lock design
- Reusable – designed for years of service
- Tamper resistant – lid recesses into base
- Low profile design for increased rodent activity
- Fits all professional rat snap traps and includes bait rods
- Long entry pathways keeps the rodent hidden after catch
- Pop-outs in rear of station allows for attachment to pipes or any other object by use of cable ties

Great places to use the Fast Catch:

- Sensitive Accounts – where rodenticide is banned
- Residential Accounts – keeps rats hidden from occupants
- Commercial kitchens, restaurants and office complexes



Rodent Station Attachment System

Technical specifications:

- Attaches any B&G rodent station to a 12"x12" paver block
- Installs in less than 30 seconds
- Heavy duty metal construction
- Patent pending design
- Economical cost

Special features:

- The station attachment system consists of 2 clamps, a metal screw and washer. It is designed for use with a 12"x12" (1.5" thick) concrete paver, and only with B&G rodent stations
- Easy and economical way to secure the Fast Catch and rodent bait station
- Holds station securely to block and is reusable



See a video of these products in action at www.bgequip.com

ITEM	DESCRIPTION	ORDER #
1	Fast Catch Station With Rodent Alert	25000309
2	Fast Catch Station	25000308
3	Extra Key Pack – 15 Keys	25000205

ITEM	DESCRIPTION	ORDER #
4	Attachment System Kit	25000260-C
5	Fast Catch 6 Pack with Attachment System	35000308
6	Fast Catch Alert 6 Pack with Attachment System	35000309

Low Profile and Mini-T Monitor



See a video of these products in action at www.bgequip.com

RTU
READY TO USE

OPENINGS IN SIDE GENERATE INCREASED ATTRACTION BY ALLOWING AIR TO FLOW THROUGH THE TRAP.

Push in flaps

RAMP DESIGN IMPROVES CATCH RATE.

RTU
READY TO USE

1 - 2

Cockroach Trap and Insect Monitor

Unlike competitors that put attractant in their glue, B&G uses a new highly proprietary process that actually applies a layer of attractant before the glue is applied. This provides the highest level of attraction to the insect.

- Ideal as monitor in IPM programs
- Highly effective glue for positive catch rates
- Promotes "Green" pest control
- Great for IPM programs
- Private label available
- Large trap with a low profile, fits under tables and in confined spaces
- Design prevents cockroaches and insects from escaping
- Food based attractant is safe yet very effective for all insects including cockroaches, silverfish, spiders, centipedes and earwigs.

5 - 6

Mini-T Insect Monitor and Trap

Same great design as the B&G Low Profile Trap but in a compact size.

- Food based attractant in glue
- Moisture resistant stock
- Highly effective glue for a positive catch rate
- Works on a wide variety of pests including Bed Bugs
- Private label available
- Can be used in sensitive accounts where pesticide use is limited
- Economical yet very effective
- Can be private labeled with your name or logo under the glue for as little as 2000 traps at no additional cost.

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Low Profile Traps – 10 Pack	LL-10-L	14001066
2	Low Profile Traps – 200 pack	LL-200-L	14001068
3	Advanced Control (includes tablets) 10 Pack	AC	14001071


ITEM	DESCRIPTION	MODEL #	ORDER #
4	Advanced Control (includes tablets) 200 Pack	AC	14001072
5	Mini-T Traps – 20 Pack		14001065
6	Mini-T Traps – 400 Pack		14001040

Monitors & Traps

1-2

Detector Traps

- Unique design keeps two edges flush to wall and floor
- Highly effective food grade attractant
- Easily divided into three small traps
- Use for monitoring crawling insects
- Promotes "Green" pest control
- Private label available



RTU
READY TO USE

Indian Meal Moth Traps

An economical but highly effective alternative to other traps. The SP Locator is priced 75% lower than the competition!

5 SP Locator Traps

6 Diamond Trap Kits

3-4 Lures




ITEM	DESCRIPTION	MODEL #	ORDER #
1	Detector 30 Pack	DET-30-L	14001062
2	Detector 600 Pack	DET-600-L	14001063
3	Indian Meal Moth 10 Lures (Lure Only)	IMM-10	14001003

ITEM	DESCRIPTION	MODEL #	ORDER #
4	Indian Meal Moth 100 Lures (Lure Only)	IMM-100	14001004
5	Indian Meal Moth SP Locator Traps	SP-IMM-20	14001051
6	Indian Meal Moth Diamond Trap Kits	DIA-IMM-10	14001044

Versa-Fogger

The first true gasoline powered backpack fogger. The Versa-Fogger is a jointly developed product between B&G and Curtis Dynafog. Unlike a conventional mistblower, by adjusting the output of the nozzle, this unit is capable of providing a broad range of flow rates and particle sizes for proper insect control.



1


Versa-Fogger

The Versa-Fogger is designed for a wide variety of applications from Mosquito Control to Insect Control in a warehouse environment. Its heavy duty, all metal construction, along with a deluxe backpack harness will give years of dependable service.

The Versa-Fogger provides a finely atomized fog at a high velocity. It provides good penetration into foliage along with a far reaching fog plume to treat remote areas.

- Reliable Honda 4 stroke motor - No need to mix oil with the gas
- Lower operating costs as compared to a 2 stroke motor
- Emissions compliant motor
- Transistorized ignition insures a quick start every time.
- High strength aluminum frame
- 1 Gallon formulation tank
- Adjustable handheld nozzle. Can be adjusted from a very fine to heavy fog
- Three stage rotary blower - Creates high pressure air for optimum atomization of liquid
- Lightweight - less than 26 lbs (dry weight)
- Quiet 4 stroke operation
- .67 quart fuel capacity
- Carrying handle
- 2 Year motor warranty (1 year other components)

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Versa-Fogger	-	45000000





Cockroach

Trappit Lo-Line Traps Heavy Infestation / Maximum Efficacy

2 versions - same market leading performance

The Lo-Line RTU is a 'ready to use' product with the attractant within the glue, the standard Lo-Line is provided with an attractant tablet that is placed on the glue area.

- Tests prove the effectiveness is the same for both versions
- Giving you choice for your individual requirements


LOOK OUT
FOR THE LOGO

RTU
READY TO USE

1

CR Lo-Line RTU


Large surface area for sensitive monitoring and for trapping larger species such as American cockroaches. Low height for sliding under units in industrial kitchens to remain out of sight and closer to the harbourage areas cockroaches prefer. Attractant contained within the glue.



2

CR Lo-Line

Large surface area for sensitive monitoring and for trapping larger species such as American cockroaches. Low height for sliding under units in industrial kitchens to remain out of sight and closer to the harbourage areas cockroaches prefer. Attractant contained within a tablet supplied with the trap.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	13664	CR Lo-Line RTU	200	20 x 10 flow-wrapped
2	10001	CR Lo-Line	200	20 x 10 flow-wrapped



Other Cockroach Traps

Light Infestation / Multi-Harbourage Monitoring

1

CR Winged RTU


Designed as an all-purpose, cost-effective solution for constant or mass monitoring. Its small footprint means it can be used in almost any situation for maximum versatility. Attractant contained within the glue.



2

CR Corner RTU

Cost-effective and reliable solution for constant or mass monitoring. Designed to sit discretely at the edge of rooms or work surfaces where cockroaches typically prefer to crawl. Attractant contained within the glue.



3

CR Pads RTU

For use in permanent or semi permanent roach traps as a replacement attractive glue surface. Attractant contained within the glue. Dimensions 77mm x 59mm. **Please Note: Traps are sold separately.**


ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	17283	CR Winged RTU	600	20 x 10x3 flow-wrapped
2	13713	CR Corner RTU	600	20 x 10x3 shrink-wrapped
3	13729	CR Pads RTU	2000	20 x 100 boxed

The Winged RTU and Corner RTU are 'ready to use' products with the attractant within the glue.

- Tests prove the effectiveness is the same for conventional tablet attractant based traps

Use Trappit Corner traps for Route Mapping, Winged for Light / Multi-Harbourage Monitoring and CR Pads RTU for Permanent Plastic Monitors.


Bed Bug



1

BB Detector Plus


The new BB Detector Plus, with advanced bed bug pheromone lure technology, is the most sensitive bed bug detection product in our range. Using a special release profile, this trap is designed to rapidly detect in the lowest infestation situations.



2

BB Detector

Easy to use and cost-effective bed bug monitoring device which is effective at trapping bed bugs across the development cycle. For use as a continuous monitoring solution, for mapping the boundaries of an infestation and for confirming eradication after treatment.



3

BB Barrier Tape

Double sided tape with dry-touch glue for use as a continuous 'barrier' against bed bugs. Tape is typically placed on the underside of bed frames, around furniture legs and behind picture frames.

ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	17306	BB Detector Plus	400 traps 400 lures	20 x 10x2 flow-wrapped traps 80 x 5 sachet packed lures
2	16817	BB Detector	400	20 x 10x2 flow-wrapped
3	14379	BB Barrier Tape	50 meters	1 x 50 m roll



Stored Product



Multi Species Trap

1

Trappit Black Stripe Arc RTU

Designed for use with multiple species of stored product moth and beetle, the trap is an all-purpose, cost effective solution for constant or mass monitoring. The trap is ready to use and has a small footprint making it incredibly versatile for any application.

Target Pests

Beetle

Cigarette Beetles (*Lasioderma serricorne*)

Kharpa Beetles (*Trogoderma granarium*)

Moth

Mill Moths (*Ephestia kuehniella*)

Indian Meal Moths (*Plodia interpunctella*)


Warehouse Moth/Tobacco Moth (*Ephestia elutella*)

Almond Moth (*Ephestia cautella*)


Raisin Moth (*Ephestia figulilella*)

Efficacy


Percentage of *Trogoderma granarium* caught in traps over a 3 day experimental period



Percentage of *Ephestia kuehniella* caught in traps over a 3 day experimental period



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	18293	Black Stripe Arc	100 traps 100 lures	10 x 10 shrink-wrapped



Moth Monitoring

Why and when to use Agrisense's different moth monitor traps.

Our three moth monitoring systems are designed to accommodate all industrial monitoring scenarios from heavy constant monitoring to precise location of infestations.

Type of Monitoring

Permanent / Large Scale



Persistent low scale / or targeted




Targeted mapping



1

Black Stripe Funnel

Large volume moth monitoring trap designed for permanent / long term monitoring. Black stripes for visual attraction and lure holder for use with Agrisense lures including Spectrum.



2

SPM Locator

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)

6 week lure Low-dosage moth monitoring trap for use in identifying specific areas of infestations. Particularly effective in and around machinery and enclosed environments. Pheromone lure included.




3

Black Stripe Delta

Cost effective moth monitoring trap for use in smaller locations as a continuous monitor and in larger locations to identify more focused infestations. Black stripes for visual attraction and for use with Agrisense lures including Spectrum.

ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10097	Black Stripe Funnel	50 traps 50 hangers	Bulk packed
2	10086	SPM Locator	200 traps 200 lures	10 x 10x2 boxed
3	10070	Black Stripe Delta	100 traps 100 hangers	10 x 10 shrink-wrapped




Moth Monitoring Kits

1

SPM Black Stripe Funnel Kit

Pest: SPM / IMM (*Ephestia spp* + *Plodia Interpunctella*)

Six month solution for Stored Product Moth monitoring. Each kit includes 1 Black stripe funnel trap, and 4 x 6 week lures.



RECOMMENDED

Use with Funnel Trap Sticky Insert (10264) on page 12




2

SPM Black Stripe Delta Kit

Pest: SPM / IMM (*Ephestia spp* + *Plodia Interpunctella*)

Solution for monitoring SPM / IMM. Each kit includes 1 Black stripe delta trap, and 1 x 6 week lure.




3

TM Black Stripe Delta Kit

Pest: Tobacco Moths (*Ephestia Elutella*)

Solution for monitoring against Tobacco Moths. Each kit includes 1 Black stripe delta trap, and 1 x 6 week lure.




4

WCM Black Stripe Delta Kit

Pest: Clothes Moths (*Tineola Bisselliella*)

Solution for monitoring against Clothes Moths. Each kit includes 1 Black stripe delta trap, and 1 x 6 week lure.



SELL ON OPPORTUNITY

ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10103	SPM Black Stripe Funnel Kit	16 traps 64 lures	16 kits boxed (1 trap & 4 lures)
2	10077	SPM Black Stripe Delta Kit	100 traps 100 lures	10 x 10 shrink-wrapped
3	10078	TM Black Stripe Delta Kit	100 traps 100 lures	10 x 10 shrink-wrapped
4	10089	WCM Black Stripe Delta Kit	100 traps 100 lures	10 x 10 shrink-wrapped



Stored Product Moth Lures

1

SPM Spectrum Blue

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)

12 week lure using the Spectrum colour coding system for easy seasonal lure checking. Use Blue Spectrums for January, February and March.



4

SPM Spectrum Yellow

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)

12 week lure using the Spectrum colour coding system for easy seasonal lure checking. Use Yellow Spectrums for October, November and December.



2

SPM Spectrum Green

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)

12 week lure using the Spectrum colour coding system for easy seasonal lure checking. Use Green Spectrums for April, May and June.



5

SPM lure 6 week

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)

6 week lure for Stored Product Moths.



3

SPM Spectrum Red

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)

12 week lure using the Spectrum colour coding system for easy seasonal lure checking. Use Red Spectrums for July, August and September.




6

SPM Biolure®

Pest: SPM / IMM (*Ephestia spp* & *Plodia interpunctella*)


6 week lure for Stored Product Moths.



Spectrum Lure Season Indication System

Spectrum lures are designed to be used as part of the industry standard seasonal colour system providing an easy visual auditing capability.

Spectrum Lure Season Indication System



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10606	SPM Spectrum Blue	100	bagged (each lure sachet packed)
2	10607	SPM Spectrum Green	100	bagged (each lure sachet packed)
3	10608	SPM Spectrum Red	100	bagged (each lure sachet packed)
4	10609	SPM Spectrum Yellow	100	bagged (each lure sachet packed)
5	10557	SPM lure 6 week	100	10 x 100 bagged (each lure sachet packed)
6	12577	SPM Biolure®	100	100 bagged




Other Moth Lures, Accessories & Spares

1

WCM lure 12 week


Pest: Clothes Moth
(*Tineola Bisselliella*)
12 week lure for use with
Black Stripe Delta traps.



4

Funnel Trap Sticky Insert (yellow)


Glue coated replaceable liner
for use with Black Stripe Funnel
traps. Sticky liners provide
another level of monitoring
ability to the trap.



2

WCM lure 6 week


Pest: Clothes Moth
(*Tineola Bisselliella*)
6 week lure for use with
Black Stripe Delta traps.



5

Funnel/Delta hangers

Replacement hangers for use with all Black
Stripe products (Funnel traps and Delta traps).



3

TM lure 6 week


Pest: Tobacco Moth
(*Ephestia Elutella*)
6 week lure for use with
Black Stripe Delta traps.




6

Funnel Trap lure holder

Replacement lure holders for use with
Black Stripe Funnels and all Agrisense
Stored Product Moth lures including the
Spectrum range (except Biolure).



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10580	WCM lure 12 week	100	bagged (each lure sachet packed)
2	10578	WCM lure 6 week	1000	10 x 100 bagged (each lure sachet packed)
3	10474	TM lure 6 week	1000	10 x 100 bagged (each lure sachet packed)
4	10264	Funnel Trap Sticky Insert (yellow)	100	10 x 10
5	11251	Funnel/Delta hangers	100	Bulk packed
6	11075	Funnel Trap lure holder	50	Bulk packed




General Insect

1

Tree Band


Protective barrier for crawling tree pests including moth caterpillars and ants. Features non-drying glue for long-lasting protection. To be wrapped around the trunk of the tree.



2

Easetet Delta


Large plastic delta trap for semi-permanent monitoring of flying insect in large indoor areas or for outdoor monitoring. To be used in conjunction with disposable sticky inserts and pheromone lures specific to the pest being monitored.



3

Easetet Delta Sticky Inserts


Disposable sticky inserts to be used with the Easetet Delta Trap. Grid pattern for assisted counting.



4


General Crawler Delta

Simple delta trap with a sticky surface for monitoring against all crawling insects such as silverfish, spiders, bed bugs and others.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10374	Tree Band	4	4 x 100m rolls
2	16999	Easetet Delta	50 traps 50 hangers	Bulk packed
3	10253	Easetet Delta Sticky Inserts	500	50 x 10 flow-wrapped
4	10386	General Crawler Delta	100	10 x 10 boxed

Beetle Monitoring Traps



1

TB Black Stripe Delta Kit

Pest: Tobacco Beetle (*Lasioderma serricorne*)

Solution for monitoring Tobacco Beetles. Each kit includes 1 Black stripe delta trap, and 1 x 6 week lure.

2

Beetle Pitfall

A reusable pitfall trap for monitoring beetles. Designed to be buried within grain stores with a tag for quick location and checking. Can be used in conjunction with a Agrisense beetle lure.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10076	TB Black Stripe Delta Kit	100 traps 100 lures	10 x 10 shrink-wrapped (traps, hangers & lures)
2	10106	Beetle Pitfall	60 traps 60 markers	6 x 10 bagged (traps & markers)



Beetle Lures

1

TB lure 12 week


Pest: Tobacco Beetle (*Lasioderma serricorne*)
12 week lure for monitoring Tobacco beetles.
For use with general monitoring traps.



2

FB lure 6 week


Pest: Flour Beetle (*T. confusum* / *T. castaneum*)
6 week lure for monitoring Flour Beetles.
For use with general monitoring traps.



3

General Grain Beetle Attractant

Pest: Flour Beetle (*T. confusum* / *T. castaneum*), Weevils (*Sitophilus oryzae*), Lesser Grain Borer (*Rhizopertha dominica*), Grain Beetle (*Oryzaephilus mercator* / *Oryzaephilus surinamensis* / *Cryptolestes spp.*)
4 to 6 week lure for monitoring general grain beetles. For use with general monitoring traps and grain traps.



4

TB lure 6 week

Pest: Tobacco Beetle (*Lasioderma serricorne*)
6 week lure for monitoring Tobacco Beetles.
For use with general monitoring traps.



5

CB lure 6 week

Pest: Carpet Beetle (*Attagenus spp*)
6 week lure for monitoring Carpet Beetles.
For use with general monitoring traps.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10544	TB lure 12 week	100	Bulk packed (each lure sachet packed)
2	10546	FB lure 6 week	100	Bulk packed (each lure sachet packed)
3	10588	General Grain Beetle Attractant	100	Bulk packed (each lure sachet packed)
4	10543	TB lure 6 week	100	Bulk packed (each lure sachet packed)
5	10542	CB lure 6 week	100	Bulk packed (each lure sachet packed)



Wasp Traps & Bait

1

Wasp Bag

Disposable outdoor wasp trapping system for use with Agrisense Liquid Wasp Bait. Highly effective with a capacity for thousands of wasps. When full, close the cap and dispose of in normal waste. (Bait not included).

SELL ON OPPORTUNITY



2

Wasp Dome

Reusable wasp trapping system for use with Agrisense Liquid Wasp Bait. Highly effective with a capacity for hundreds of wasps. When full, empty contents in trash and refill with Wasp Bait. (Bait not included).



3

Liquid Wasp Bait 1L

Agrisense formulated liquid Wasp bait for use with Wasp Bags and Wasp Domes. Attractant is formulated to be effective against most common wasp types and nuisance flies. CONTAINS BEE DETERRENT.

SELL ON OPPORTUNITY



4


Liquid Wasp Bait 5L

Agrisense formulated liquid Wasp bait for use with Wasp Bags and Wasp Domes. Attractant is formulated to be effective against most common wasp types and nuisance flies. CONTAINS BEE DETERRENT.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	16989	Wasp Bag	25	Bulk packed
2	10120	Wasp Dome	40 traps 40 hangers	Bulk packed
3	10112	Liquid Wasp Bait 1L	4	4 x 1L bottles
4	16997	Liquid Wasp Bait 5L	2	2 x 5L bottles

Fly - General



1


Fly Bag

Disposable outdoor fly trapping system for use in any location with a high fly population. Water soluble fly bait is contained within the bag - just add water! Highly effective with a capacity for thousands of flies when full, close the cap and dispose of in normal waste.

2

Fruit Fly Lemon


Discreet fruit fly trapping system for use in kitchens and pantries. Place in fruit bowls or hang near food sources / internal recycling bins for effective trapping of common fruit flies.



3

Fly Roll for FICS machine


Replacement sticky roll for timed, self-winding electronic FICS machines. 13m roll with 10m glued area. Each roll comes individually boxed in mountings.



4

Window Fly Sticker

Easy-peel window sticker with colourful sunflower design which acts as a contrasting surface to attract flies. Effective against all home & garden flies.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	17044	Fly Bag	25	Bulk packed
2	18237	Fruit Fly Lemon	36	3 x 12 bagged
3	10125	Fly Roll for FICS machine	20	20 x 10m rolls (Individually boxed)
4	10244	Window Fly Sticker	1500	Bulk Packed



Fly - Garden / Glasshouse



1



Medium Yellow Sticky Trap

100mm x 245mm, yellow sticky trap for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.

2

Large Yellow Sticky Trap

200mm x 245mm, yellow sticky trap for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.



3

Extra Large Yellow Sticky Trap

400mm x 245mm, yellow sticky trap for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.



4


Maxi-roll Yellow Sticky Trap

25m x 245mm, yellow sticky trap roll for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.

ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10285	Medium Yellow Sticky Trap	1000	100 x 10 flow-wrapped
2	10271	Large Yellow Sticky Trap	500	50 x 10 bagged
3	10268	Extra Large Yellow Sticky Trap	250	25 x 10 bagged
4	10157	Maxi-roll Yellow Sticky Trap	4	4 x 25m rolls



Fly - Garden / Glasshouse



1



Medium Blue Sticky Trap

100mm x 245mm, blue sticky trap for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.

2

Large Blue Sticky Trap


200mm x 245mm, blue sticky trap for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.



3

Extra Large Blue Sticky Trap

400mm x 245mm, blue sticky trap for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.






4

Maxi-roll Blue Sticky Trap


25m x 245mm, blue sticky trap roll for monitoring greenhouse & garden flies (Whitefly, Aphids & Sciarids). Includes hanging ties.

ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	10304	Medium Blue Sticky Trap	1000	100 x 10 flow-wrapped
2	10303	Large Blue Sticky Trap	500	50 x 10 bagged
3	10313	Extra Large Blue Sticky Trap	250	25 x 10 bagged
4	10168	Maxi-roll Blue Sticky Trap	4	4 x 25m rolls






Fly String



1

Fly String Complete

Effective and environmentally friendly fly string complete with an installation kit. The trap works all year round, 24 hours a day in the stable, milking room, barn, etc. Place the roll at ceiling height. When the string is full, replace it with the refill.



2

Fly String Refill

Effective and environmentally friendly fly string in refill packaging for String Complete, above. It is delivered with adapters that can be used with other suppliers' holders.

ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	3212-1577	Fly String Complete	500m	1x kit/box
2	3182-1575	Fly String Refill	500m	1x roll /box




Fly Sheets and Sleeves

1

Fly Cattle Sheet

An effective, environmentally friendly and compostable fly paper for the stable, milking room, barn, etc. It can be hung from the ceiling, placed on walls or around different objects. It is extremely effective thanks to our patented 3D model and fluorescent colouring. It provides advantages throughout the entire year. Works effectively around the clock, 6-8 weeks or until the trap is full.



2

Fly Cattle Sleeve

An effective, environmentally friendly and compostable fly paper for the stable, milking room, barn, etc. Place around pipes or hang in a level position against the wall. It is extremely effective thanks to our patented 3D model and fluorescent colouring. It can be used year round. Cattle Sleeve works effectively around the clock, 6-8 weeks or until the trap is full.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	2326-632	Fly Cattle Sheet	10	8x10
2	2234-716	Fly Cattle Sleeve	12	12x12



Fly Rollers

1

Fly Roller

An effective, environmentally friendly and compostable fly paper on rolls for the stable and milking room. Tear off in small parts or draw out like a curtain, etc. The roller is extra effective due to the patented 3D pattern with fluorescent colours. It provides advantages throughout the entire year. Works effectively around the clock, 6-8 weeks or until the trap is full.



2

Fly RollerXL

An effective, environmentally friendly and compostable fly paper on rolls for the stable and milking room. Tear off in small parts or draw out like a curtain, etc. The extreme effectiveness of the Roller XL stems from a patented 3D pattern with fluorescent colours. It provides advantages throughout the entire year. Roller XL works effectively around the clock, 6-8 weeks or until the trap is full.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE
1	6015-384	Fly Roller	12
2	2264-852	Fly RollerXL	15



Fly Traps



1

Fly Tower


The Silvalure Tower is an effective and environmentally adapted flytrap for the home, outdoor rooms, summer cottages, caravans, offices etc. The trap keeps your surroundings pleasantly free from irritating flies and other insects.

The trap has a unique 3D pattern with fluorescent colours that attracts flies efficiently, as well as an odourless and long-acting glue. Works 24 hours a day. Replace after 6-8 weeks, or when the trap is full. The Silvalure Tower can be hung up, stood or laid flat wherever flies are to be found.

2

Fly Discreet


Discreet and environmentally friendly window trap for indoor use. Trapped insects are not visible, but does get stuck in the trap. Highly effective with its patented 3D-pattern and fluorescent color. Place the trap in the window frame for best effect. Used during the entire year and effective for 24 hours a day.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	6142-427	Fly Tower	6	1x2
2	6580-000	Fly Discreet	10	10x10

CoreDot™

Application Technology



High precision

Produces sharply defined glue edges with the gluefree as well as the glued surfaces exactly where you want them.



High flexibility

The glue boards may be customised and made exactly to your specifications and desires.

Previously it has not been possible to produce glue boards with the glued areas in different shapes and forms and neither was it possible to place the glue wherever one desired. With the new CoreDot™. Application Technology there are no restrictions!


The technology has been developed to meet the high demands of the professional pest control business. Demands such as high quality and efficiency are at the top of the list, but also the demands for flexible and ease-of-use products have been the guiding principles for the development. This is why we are very proud to introduce the CoreDot™ Application Technology. The CoreDot™ Application Technology is a high precision technology to apply the glue to the boards exactly where you want it – and only there. This enables many advantages.

Design the product you want with no limitations.

A unique glue coating technology that offers unrivalled design and performance

- Precision
 - Produces sharp defined edges
 - Places edges exactly where you want them
- Flexibility
 - Curved shapes
 - Any shape or design
 - Any pattern
 - Cut outs of any shape & design
 - Dry edges exactly where needed

For more information about design and quotation please contact the sales team.



Great freedom of choice

CoreDot™ makes it possible to choose exactly the shapes and forms you desire for the glued areas, based on your product specifications, designs and functions.

UV Glue Boards



To apply the glue in exactly the right places does not of course solve all problems. The glue boards must also be designed to meet all requirements and needs.


The glue boards must be easy to handle, the glue should not dry out. They must resist heat and UV-light, and be efficient. That's why the Silvalure® System Glue Board is built up like a sandwich, with three well-defined layers (see image) for maximum effect.

At Silvandersson we customise all the glue boards according to the needs of our clients. Our work is being made according to a model that we call Demand Network System – a network of specialists of various disciplines who work together to develop effective products. The demands of our clients guide the development, for the benefit of our clients and their customers. Our innovations can give them perfect solutions.

With over 30 years of experience in supplying the industry we have a reputation for the highest quality of product and service.

- High quality materials
- Quick release cover paper
- Proprietary glue technology
- Coredot coating technology
- Internal testing and development

Glue board in cross-section



SILVALURE
Protect™

Customised according to choice of e.g. Activator.

SILVALURE
Activator™

Customised according to factors such as insect type, temperature, humidity, durability, UV-exposure etc.

SILVALURE
Base™

Customised according to factors such as temperature, humidity, rigidity, durability, storage etc.



Bed Bug and Silverfish Traps

1

Bed Bug Dome

The problem of bed bugs is on the increase at hotels, in homes and in service industries such as cinemas. Bed bugs breed quickly and are remarkably agile, hard to see and active only at night. Silvatronic's Bug Dome™ is an effective, environmentally friendly way to locate and monitor bed bugs. Simple, discreet and inexpensive.

- Low profile design (20 mm high) – fits under beds, furniture, etc.
- Effective, environmentally friendly bed bug control
- Low cost alternative for easy bed bug monitoring
- Easy replacement of trap section
- Bug Dome™ inexpensive to operate
- The system has been developed in collaboration with one of the wellknown Universities in Sweden.



2


Silverfish Trap

Unique glue trap intended for silverfish. Effective eco-friendly glue trap for indoor use. Silverfish trap that localizes and indicates the presence of Silverfish (*Lepisma saccharina*).


Easy to use – just lift the cover and place the enclosed attractant in the middle of the trap. Place the trap on the floor or any other level surface where you have most recently observed silverfish.

The (food-based) attractant tablet attracts the silverfish, which crawls inside through the passages on the bottom side of the trap. Once inside the trap, the silverfish gets stuck in the glue and can never come out.

The trap is completely sealed, which makes it difficult for children and pets to get into contact with the adhesive. The unique design ensures that the trap remains effective for at least 6 to 8 weeks.



ITEM	PRODUCT #	DESCRIPTION	QTY PER CASE	CONFIGURATION
1	6471	Bed Bug Dome	8	Bed Bug Monitor 1 complete kit - 3 refills
2	6566-010	Silverfish Trap	40 pack	1x40
3	6472-010	Bed Bug Refills	10	10x8



Hand Held ULV

Hurricane™

Electric Portable Aerosol Applicator (ULV / Mister)

The Hurricane is capable of dispensing disinfectants, deodorizers, germicides and insecticides. It is being used successfully in hospitals, restaurants, warehouses, nursing homes, schools, greenhouses and other institutions. With an adjustable output of 0-5 gallons per hour, this versatile unit gives you the power to handle both large and small area, wherever aerosol particle chemical treatment is needed.

Features

- Dispenses BOTH Oil and Water-based Products

Specifications

Adjustable flow rates	0-5 gal/hr, or 0-19 liters/hr.
Particle size	5-50 microns (VMD)
Tank capacity	1 gallon (3.8 liters)
Length	13 in or 33 cm
Width	8 in or 20.3 cm
Height	14 in or 35.6 cm
Weight (Empty)	6.6 lbs or 3 kg



THREE PRECISION NOZZLES
FOR GREATER OUTPUT CAPACITY

ADJUSTABLE TILT
LOCKING KNOB

METERING VALVE
ALLOWS FOR EASY
CONTROL OF OUTPUT
AND DROPLET SIZE

TRANSLUCENT 1-GALLON
POLYETHYLENE TANK PERMITS
INSTANT AND EASY
CHEMICAL LEVEL CHECKS

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Hurricane 110 Volt	2790	62000-542
2	Hurricane 220 Volt	2792	62050-542
3	Hurricane w/float 110 Volt	2738	62100
4	Hurricane w/float 220 Volt	2739	62114

Hurricane ES

Portable Electrostatic Aerosol Applicator (ULV / Mister)

Electrostatic Technology

An affordable applicator, the Hurricane ES™ utilizes proven electrostatic technology to charge each droplet to provide effective application of formulations. The droplets stay separated due to the charged nature allowing uniform, even coverage on entire target surface every time.

Dispenses Water-based Products

The Hurricane ES™ is ideal for use in spraying commercial and residential areas. Hotels, schools, greenhouses, warehouses, medical facilities, sanitation, germicidal treatments and disease control programs are just a few of the markets where the Hurricane ES™ is used.

Features

- Precision flow rate and droplet control
- Uniform and consistent coverage
- Droplet size can be controlled for both ULV and residual spraying
- Stainless Steel Metering Valve

Some commonly sprayed solutions are:

- Insecticides
- Disinfectants
- Deodorizers
- Fungicides
- Odor Neutralizers
- Water (Humidification)
- Germicides
- Poultry Vaccines

Specifications

Adjustable flow rates	0-9 oz/min (0-266 ml/min)
Particle size	5-50 microns (VMD)
Tank capacity	1 gallon (3.8 liters)
Length	11.5 in or 29.2 cm
Width	10 in or 25.4 cm
Height	14 in or 35.6 cm
Weight (Empty)	7.5 lbs or 3.4 kg



ITEM	DESCRIPTION	MODEL #	ORDER #
1	110/120 volt AC, 6.8 Amps, 50/60 Hz	3001-5 Hurricane ES 110V	62150-3
2	220/240 volt AC, 3.4 Amps, 50/60 Hz	3001-6 Hurricane ES 220V	62150-4



1 - 2

Cyclone Ultra

Handheld ULV Sprayer

The Cyclone Ultra with its 2-stage blower and rugged metering valve assures particles under 20 microns regardless of flow rate and viscosity of material. Ideal for pest control work in areas such as hospitals, nursing homes, schools, apartment buildings, restaurants, greenhouses, etc.

No more guesswork. Now you can apply pesticides, deodorants, fungicides, duct sealant, disinfectants, miticides, etc. much safer, more efficiently and more economically. The Cyclone can be used in an unlimited variety of indoor/outdoor applications requiring 5-20 micron droplets.

Specifications

Blower	Continuous duty, 20,000 RPM. with replaceable brushes
Model#: 2734:	110/120V AC, 8.5 Amps, 50/60 Hz.
Model#: 2736:	220/240V AC, 4.2 Amps, 50/60 Hz.
Flow Rate:	0-2.4 oz (70 ml./min.) via metering valve
Droplet Size:	5-20 Microns (VMD)
Tank Capacity:	1 gallon (3.8 liters)

3 - 4

Cyclone Standard

Handheld ULV Sprayer

The ultra precision metering valve assures particles under 20 microns regardless of flow rate and viscosity of material. Ideal for pest control work in areas such as hospitals, nursing homes, schools, apartment buildings, restaurants, greenhouses, etc.

Specifications

Blower	Continuous duty, 20,000 RPM. with replaceable brushes
Model#: 2734:	110/120V AC, 8.5 Amps, 50/60 Hz.
Model#: 2736:	220/240V AC, 4.2 Amps, 50/60 Hz.
Flow Rate:	0-2.4 oz (70 ml./min.) via metering valve
Droplet Size:	5-20 Microns (VMD)
Tank Capacity:	1 gallon (3.8 liters)



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Cyclone Ultra 110 Volt	2734	62250-1
2	Cyclone Ultra 220 Volt	2736	62250-2

ITEM	DESCRIPTION	MODEL #	ORDER #
3	Cyclone Standard 110 Volt	2730	62300
4	Cyclone Standard 220 Volt	2732	62350

Tornado & Tornado/Flex

The multi-range Tornado offers a 3 gallon tank, large formulation filter with removable screen and a precision control metering valve that allows adjustable outputs from a heavy mist of 5 gallons per hour down to low outputs in the ULV range. Ideal for humidification control in greenhouses, general pest control and application of germicides and disinfectants.

Now you can apply pesticides deodorants, fungicides, duct sealant, disinfectants, miticides, etc. much safer, more efficiently, more economically and in a variety of indoor/outdoor applications such as hospitals, schools, homes, hotels, resorts, greenhouses, food processing plants, warehouses, dairy and poultry farms and horse stables.


Specifications

Input Power:	110/120 V AC, 8.5 amps, 50/60 Hz 210/250 V AC, 4.2 amps, 50/60 Hz (model 3004)
Adjustable Flow Rate:	0-5 GPH (0-18 LPH)
Flow Rate:	0-18.5 LPH
Particle Size:	5-40 Microns
Tank Capacity:	3 gallon (11.4 liters)



Tornado/Flex

The Tornado fitted with an 18 inch (46 cm) flexible hose.



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Tornado 110 Volt	2895	62380

ITEM	DESCRIPTION	MODEL #	ORDER #
2	Tornado 220 Volt	2897	62382

Backpack ULV

Twister XL3

Motorized Knapsack ULV Sprayer


A real ULV Backpack/Knapsack. The Twister™ XL3 is the most impressive ULV backpack applicator in the world. The Twister™ features a remarkable nozzle and blower system that clearly outperforms the competition in value, durability and performance.

It boasts the highest flow rates for true (ULV) droplets of any backpack sprayer on the market today. The Twister™ is designed as a lightweight compact aerosol generator that is ergonomically suited for long periods of use by the operator. This unit excels in controlling mosquitoes and other flying insects by way of its patented Microtec™ nozzle that produces 90% of the droplets under 20 microns at flow rates under 6.0 oz/min (178 ml/min). The quick change orifice system allows the operator to increase flow rates resulting in larger droplets produced which are ideal for leaving a residual deposit on surfaces such as vegetation and walls (barrier spraying for mosquitoes and flies). With the optional twin nozzle kit, you can apply formulations at a higher output where a fast application is required (such as poultry houses).

The Twister™ is lightweight enough for most ATV racks, golf carts and small carts. Due to its high performance and its compact size, the Twister™ is the ultimate machine for adulticide, barrier spraying, and spot treatments.

Features

- Single high output Microtec™ nozzle
- Honda 4 stroke motor. Low emission, high performance engine
- Heavy-duty isolators reduce engine vibration



Specifications

Formulation Output	Interchangeable restricting orifice to produce flow rate of 1.5 oz/min; 45 ml/min; 17 oz/min; 500 ml/min using optional dual nozzle attachment	Nozzles	Single high output nozzle. Optional extra dual nozzle kit for high output
Droplet Size	95% of droplets below 20 microns VMD at flow rates up to 6 oz/min; 178 ml/min. Higher flow rates produce larger droplets.	Weight	Empty: 26 lbs; 11.8 kg
Engine	Honda 4-stroke, high performance engine; emissions compliant, low fuel consumption, extra quiet. Operating speed 7500 rpm.	Fuel Tank	17 fl. oz., 500 ml (55 minutes run time)
Blower	High speed rotary type, 3-stage, belt driven, 95 cfm; 2.68 cubic meters/min, unrestricted, pressure 3 psi; 0.2 bar maximum; tangential discharge, ground steel shaft, 2 high quality ball bearings	Formulation Tank	1 gallon; 3.7 liters
		Accessories	Curtis Viscometer to determine formulation viscosity; funnel, spare parts kit
		Options	Twin Nozzle Kit #39716
		Dimensions	14.7 x 12 x 22.5 inches; 37.5 x 30.5 x 57.2 cm (L x W x H)
		Shipping Data	26 x 19 x 16 inches; 66.0 x 48.3 x 41.1 cm (L x W x H) 36 lbs; 16.3 kg 4.39 cubic feet; 0.123 cubic meters

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Twister XL3 Motorized Knapsack ULV Sprayer	-	39750

Truck Mounted ULV

Dyna-Jet L-30

The world's most technologically advanced ULV applicator

Electric powered ULV generator. Digitally controlled highspeed rotary atomizer produces the industry's most consistently sized spray droplets not achievable by conventional nozzles. It features a unique remote controlled tilting head that allows for multi positioning of the spray.

The lightweight, aluminum and stainless steel construction provides years of low maintenance and trouble free use. Because the Dyna-Jet® operates entirely on electric power, the unit is not susceptible to weight issues and maintenance expenses normally associated with gasoline powered equipment.

Features

- High-volume axial blower 1,350 cubic ft./min. (38.3 cu. m/min) provides an extra large swath width ensuring complete coverage.
- 15-gallon (57 liter) lockable formulation tank. Translucent design allows for quick level viewing.
- Super-accurate FMI pumping system features a lockable cover and Curtis Dyna-Fog's exclusive Formulation Anti-Pulsing System (FAPS™).
- Remote-control features: tilt angle adjustment, machine on/off, spray on/off, formulation/flush selector, battery/hour meter (backlit for night operation).
- Quick release stainless steel vehicle mounting brackets.
- Patented articulating spray head powered via remote control.
- Water-resistant battery enclosure features chemical resistant stainless steel restraints.
- 180° Rotational support (manually operated).
- High-strength anodized aluminum frame and stainless steel base construction. Chemical-resistant powder coated surfaces keeps the machine looking like new.



Specifications

Formulation Output	Maximum pre-set flow rate: 14 ml/min; 414 ml/min
Droplet Size	90% of droplets below 24 microns VMD
Engine	Atomizer motor: 12 V DC, brushless, high speed shielded bearings, water resistant cover Current draw: 30 Amps maximum at 14 ml/min; 414 ml/min Note: Battery is not included with the machine and is sold separately
Blower	High-output, 1,350 cubic feet; 38.2 cubic meters
Pump Systems	Positive displacement, FMI ceramic piston pump, stainless steel housing; formulation anti-pulsing system (FAPS), tamper resistant, lockable cover
Nozzles	High-speed rotary atomizer type

Weight	Empty: 105 lbs; 47.6 kg. With battery: 147 lbs; 66.5 kg
Formulation Tank and Filter	15 gallons; 57 liters; with lockable cap 25 micron large capacity filter
Flush Tank	1 gallon; 3.8 liters
Options	12 V heavy-duty battery 12 V high-performance battery with AC charging kit Syncroflow Radar Flow Control, Dyna-Trax GPS tracking system, Digital tachometer, AC timer kit, Large capacity filter kit, Application specific formulations filters, Water resistant machine cover
Dimensions	44 x 29 x 39 inches; 112 x 74 x 99 cm (L x W x H)
Shipping Data	46 x 36 x 46 inches; 117 x 91 x 118 cm (L x W x H) 223 lbs; 101.6 kg

ITEM	DESCRIPTION	ORDER #
1	Dyna-Jet L-30 Electric ULV Aerosol Generator	65100
2	Dyna-Jet L-30 Electric ULV Aerosol Generator	65100-20


ITEM	DESCRIPTION	ORDER #
3	Dyna-Jet L-30 Electric ULV GPS Syncroflow	65100-1G
4	Dyna-Jet L-30 Electric ULV Radar Syncroflow	65100-1R

Truck Mounted ULV

Maxi-Pro 2D

ULV Aerosol Applicator High Performance & Reliability

More than 30 years of field performance. The Maxi-Pro 2D is loaded with features required for Vector Control by Health Ministries worldwide. Representing the base model of the Maxi-Pro line, the 2D was created out of the need for a professional grade vehicle mounted ULV sprayer with simplistic operation.



Specifications

Formulation Output	Diaphragm pump – 0-128 oz/min; 0-3.8 liters/min
Droplet Size	90% of droplets below 20 microns VMD
Engine	Briggs & Stratton 18 Hp, twin cylinder, 4 cycle, electric start with alternator
Blower	Direct drive, positive displacement, rotary type; output up to 400 cfm air
Pump Systems	Diaphragm pump - high volume, corrosive resistant
Nozzles	Twin Dynafog Multimist with remote directional control of boom

Weight	Empty: 297 lbs; 135 kg. Full: 412 lbs; 187 kg
Fuel Tank	12.5 gallons; 47 liters; with a gauge
Formulation Tank	15 gallons; 57 liters; with lockable cap
Flush Tank	1 gallon; 3.8 liters
Dimensions	44 x 37 x 50 inches; 112 x 94 x 127 cm (L x W x H)
Shipping Data	47 x 39.5 x 39 inches; 122 x 102 x 99 cm (L x W x H) 586 lbs; 265.8 kg 43.3 cubic feet; 1.23 cubic meters


ITEM	DESCRIPTION	ORDER #
1	Maxi-Pro 2P	62825-5

ITEM	DESCRIPTION	ORDER #
2	Maxi-Pro 2D	62825-7

Maxi-Pro 4

ULV Cold Fog Applicator-High Power With Maximum Efficiency

Highest performance specifications in the industry. Powered by an overhead valve 18 HP engine, the Maxi-Pro 4 has plenty of power for use in professional pest control and Health Ministries throughout the world. Welded steel construction and powder-coat finishes make the frame and other machine components extremely resistant to corrosion. Models available with Radar and GPS Automated Flow Control along with optional covers.



Specifications

Formulation Output	0-20 oz/min; 0-600 ml/min
Droplet Size	90% of droplets below 20 microns VMD
Engine	Briggs & Stratton 18 Hp, air cooled, twin cylinder, 4 cycle, electric start with alternator
Blower	Direct drive, positive displacement, rotary type; output up to 400 cfm air
Pump Systems	Diaphragm pump - high volume, corrosive resistant Gear pump - stainless steel, magnetically coupled FMI - ceramic piston with carbon cylinder Optional radar syncroflo automatic control with digital display
Nozzles	Four Multimist nozzles adjustable 360 degrees

Fuel Tank	1.8 gallons; 7 liters; with a gauge
Formulation Tank	15 gallons; 57 liters; with lockable cap, liquid level graduation marks
Flush Tank	1 gallon; 3.8 liters, with tethered cap
Options	20 Hp OHV, Honda engine Gear pump or Diaphragm pump Heavy duty 12 V battery (add 20 lbs; 9.1 kg) Heavy duty machine cover; Spray hour meter Dyna-Trax 2 GPS Recording
Dimensions	44 x 33 x 32 inches; 112 x 84 x 81 cm (L x W x H)
Shipping Data	46 x 36 x 39 inches; 117 x 91 x 99 cm (L x W x H) 495 lbs; 225 kg 37 cubic feet; 1.1 cubic meters

ITEM	DESCRIPTION	ORDER #
1	Maxi-Pro 4 (w/FMI Pump)	62825-1

ITEM	DESCRIPTION	ORDER #
2	Maxi-Pro 1-45 (w/FMI Pump)	62825-18

Truck Mounted ULV

Typhoon 1

One Machine Provides Total Flexibility: Adulticide, Larvicide, Barrier Spray

Considered the industry standard for medium sized, vehicle mounted ULV cold foggers, the Typhoon 1 has the power and features of much more expensive machines.

Powered by a rugged overhead valve engine mounted onto a powder coated, welded steel frame, the Typhoon 1 is available with a choice of three different pumping systems (Diaphragm, Digital Gear or FMI Piston) and a variety of options tailored to fit your needs. The highly efficient "Multi-Mist" nozzle has years of proven experience in producing uniform droplet spectrums with more than 90% of droplets below 20 microns (VMD) at the recommended flow rates and pressures. With flow rate capabilities ranging from 0-128 oz/min (0-3.8 ltrs/min) using the diaphragm pumping system, higher flow rates and larger droplets can be achieved making the machine also ideal for barrier spraying and larvicide work. When paired with GPS systems like Dyna-Trax 2 and a GPS mapping software provider, the Typhoon 1 has full recording and reporting capability to assist in complying with EPA and/or other agency reporting requirements.

Features

- 2-Year limited warranty
- Can be outfitted with the automated "Synchroflow System"
- Available with radar or GPS speed sensing




Specifications

Formulation Output	Diaphragm pump – 0-128 oz/min; 0-3.8 liters/min Gear pump – 0-20 oz/min; 0-600 ml/min FMI pump – 0-18 oz/min; 0-532 ml/min
Droplet Size	90% of droplets below 20 microns VMD
Engine	Kohler 9.5 Hp (277 cc), 4-cycle, OHV, electric start. Optional Honda 10.5 Hp (344 cc), 4-cycle, OHV, or Yanmar diesel
Blower	High volume, positive displacement, rotary type; 8.5 psi @ 2750 rpm; 12 psi (0.82 bar) 205 cfm (5.8 cubic meters/min)
Pump Systems	Diaphragm pump - high volume, corrosive resistant Gear pump - stainless steel, magnetically coupled FMI - ceramic piston with carbon cylinder Optional radar synchroflow automatic control with digital display

Nozzles	High efficiency single nozzle, adjusts 360 degrees, removable for cleaning
Gauges	Digital Tachometer/Hourmeter for engine; liquid filled pressure gauge for nozzle boom pressure
Weight	Empty: 297 lbs; 135 kg. Full: 412 lbs; 187 kg
Fuel Tank	1.8 gallons; 7 liters; with a gauge
Formulation Tank	15 gallons; 57 liters; with lockable cap
Flush Tank	1 gallon; 3.8 liters
Dimensions	41.5 x 29 x 32 inches; 105 x 74 x 81 cm (L x W x H)
Shipping Data	48 x 40 x 39 inches; 122 x 100 x 99 cm (L x W x H) 415 lbs; 188 kg 42.8 cubic feet; 1.2 cubic meters

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Typhoon 1 (w/FMI Pump)	-	64600-1

ITEM	DESCRIPTION	MODEL #	ORDER #
2	Typhoon 1 (w/Diaphragm Pump)	-	64600-2



LV-8 Low Volume Sprayer

Ag-Mister LV-8 Low Volume Sprayer

Low-volume spraying is the heart of effective, efficient and economical pest control in the Ag Industry. Studies have proven low volume control of pests to be a viable, effective option that is widely accepted and used around the world.

Break the life cycle of many pests using Low Volume spraying. We have gone to great lengths to be a part of studies and provide a solution that is economical, practical and effective. When it comes down to it, the LV-8 has the best coverage per area, the most versatile use and is a grower's final solution to controlling the common pests. Reduce application costs and effectively apply foliar systemics, oils, nutritional and insecticides from one machine.

Optional 100 or 150 gallon formulation tank mounted on a welded steel frame with agitation pump, and high intensity LED work light.

Features

- Reduce application costs
- Best coverage per acre
- Low volume spraying
- Limited 2-year warranty
- Break the life cycle
- Optional 100 or 150 gallon formulation tank mounted on a welded steel frame with agitation pump, and high intensity LED work light

Specifications

Formulation Output	0-4.8 gallons/min; 18.2 liters/min at 50 psi; 0.55 gallons/min; 2.1 liters/min flow to nozzles	Nozzles	Eight air-assist nozzles, boom mounted, cluster type with 360 degrees adjustment
Droplet Size	20-130 microns VMD; adjustable according to flow rate, viscosity and boom pressure	Weight	Empty: 297 lbs; 135 kg. Full: 412 lbs; 187 kg
Engine	Briggs & Stratton, 4-cycle, 2 cylinder OHV, 18 Hp, with electric start and alternator	Fuel Tank	12.2 gallons; 46 liters; cap with a level gauge
Blower	Positive displacement, straight lobe, rotary type, direct drive Output air pressure – 0.6 psi. 0.41 bar Output air flow – 0-325 cfm, 9.2 cubic meters/min	Formulation Tank	100 or 150 gallon; 378 or 568 liters
Pump Systems	Positive displacement, high volume diaphragm pump (chemical resistant) – 4.8 gallons/min; 18.2 liters/min at 50 psi maximum output; 0.55 gallons/min; 2.1 liters/min maximum flow to nozzles	Flush Tank	15 gallon; 56.7 liters
		Remote Control	Control spraying right, left, or both
		Options	Machine start, agitation pump; LED work light
		Dimensions	50 x 31 x 30 inches; 127 x 79 x 76 cm (L x W x H)
		Shipping Data	60 x 43 x 42 inches; 152 x 109 x 107 cm (L x W x H) 556 lbs; 252 kg 62.7 cubic feet; 1.78 cubic meters

ITEM	DESCRIPTION	MODEL #	ORDER #
1	LV-8 Low Volume Sprayer	-	67000D

Hand Held Thermal Fogging

Golden Eagle Electric Start XL

Thermal Aerosol-Fog Petroleum Based, Resonant Pulse Principle


The Golden Eagle features a revolutionary new electric starting system to assure greater reliability, fuel efficiency and ease of operation.

No other chemical applicator dispenses oil based insecticides, fungicides, germicides, disinfectants, odor control and other chemical products as easily, effectively and economically. No other aerosol generator enjoys such world-wide acclaim.

And finally for its size, no other machine surpasses the Golden Eagle's application capacity or its speed in completing difficult chemical application jobs: warehouses, factories, food processing plants, greenhouses, parks, campgrounds cattle barns, swine/poultry houses, grain mills shopping centers, schools, restaurants, apartment complexes, hotels and much more.

Features

- Easily, effectively and economically dispenses oil based insecticides, fungicides, germicides, disinfectants, odor control and other chemical products.
- Electric start
- Lightweight



Specifications

Formulation Output	0-9 gallons/hr; 0-34 liters/hr; covers 57,000 cubic feet; 1600 cubic meters/min
Droplet Size	0.5 – 50 microns VMD
Engine	30 Hp; 22 kW; 18,900 Kcal/hr
Fuel Consumption	0.5 GPH; 1.9 liters/hr
Weight	Empty: 19 lbs; 8.6 kg. Full: 27 lbs; 12.2 kg
Fuel Tank	1.2 quarts; 1.0 liter
Formulation Tank	1.1 gallons; 4.2 liters
Power Supply	Eight 1.5 V D size alkaline batteries. A rechargeable 12V DC battery (optional). Any 12V DC vehicle battery; connect to 12V receptacle with auxiliary battery cable.
Dimensions	52 x 9.5 x 14.5 inches; 132 x 24.1 x 36.8 cm (L x W x H)
Shipping Data	55 x 11 x 16 inches; 140 x 28 x 41 cm (L x W x H) 32 lbs; 14.5 kg 5.5 cubic feet; 0.15 cubic meters

Golden Eagle Control Panel



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Golden Eagle Electric Start XL	-	58500
2	Golden Eagle 2610, Series 3	-	58500-20


Superhawk II

Portable Thermal Fogger Petroleum Based, Pulse-Jet Powered

The Superhawk's ultra-light-weight design and ability to produce large volumes of dense fog make the Superhawk ideal for use in both local and remote areas. Built to rigid quality standards and backed by more than 65 years in the industry, the Superhawk continues to be an essential part of any program where performance, simplicity and reliability are required.

Features

- Fast and easy starting every time
- Huge fog output
- Ultra-lightweight
- Compact size
- Reliable
- Efficient



Specifications

Formulation Output	0-11 gallons/hr; 0-42 liters/hr; covers 76,000 cubic feet or 2200 cubic meters/min
Droplet Size	0.5 – 50 microns VMD
Engine	30 Hp; 22 kW; 18,900 Kcal/hr
Fuel Consumption	0.5 GPH; 1.9 liters/hr
Weight	Empty: 16.5 lbs; 7.5 kg. Full: 19 lbs; 11.1 kg
Fuel Tank (aluminum)	1.2 quarts; 1.0 liter; vented, non-pressurized
Formulation Tank (aluminum)	1.2 gallons; 4.5 liters; pressure = 4 psi; 0.28 bar
Flow Control	Metering valve or fixed orifice
Power Supply	Eight 1.5V D size alkaline batteries. A rechargeable 12V DC battery (optional). Any 12V DC vehicle battery; connect to 12V receptacle with auxiliary battery cable.
Dimensions	52 x 9 x 14 inches; 132 x 24 x 36 cm (L x W x H)
Options	Interchangeable orifice Sewer and leak detection attachment available
Shipping Data	55 x 11 x 16 inches; 140 x 28 x 41 cm (L x W x H) 32 lbs; 14.5 kg 5.6 cubic feet; 0.16 cubic meter

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Superhawk orifice - export only	-	58800-20
2	Superhawk metering - export only	-	58800-1

Blackhawk Electric Start

Thermal Aerosol-Fog Petroleum-Based, Resonant Pulse Principle


The Blackhawk was designed for a wide range of jobs with maximum efficiency for handling petroleum-based products. The Blackhawk is capable of dispersing disinfectants, deodorizers, germicides and insecticides for application in greenhouses, a wide range of warehouses and for outdoor pest control in parks, gardens and golf courses.

The Blackhawk's simple, innovative design reduces unit maintenance and will provide years of rugged, reliable performance. Up to 18 gallons per hour capacity, rugged construction, easy maintenance and our patented electric starting system assures greater reliability, effectiveness, fuel efficiency and ease of operation. The machine is also equipped with an easy to clean stainless steel formulation filter that keeps the system free of unwanted dirt and residue.

Features

- The Blackhawk is designed for a wide range of jobs with maximum efficiency for handling petroleum-based products
- One year limited warranty


Hand Held Thermal Fogging



Specifications

Formulation Output	0-18 gallons/hr; 0-68.4 liters/hr; covers 114,000 cubic feet or 3200 cubic meters/min
Droplet Size	0.5 – 50 microns VMD
Engine	44 Hp; 33 kW
Fuel Consumption	0.6 GPH; 2.3 liters/hr
Weight	Empty: 41 lbs; 18.6 kg. Full: 75 lbs; 34.1 kg
Fuel Tank	0.5 gallons; 1.9 liters
Formulation Tank	3 gallons; 11.4 liters
Power Supply	Eight 1.5V D size alkaline batteries. A rechargeable 12V DC battery (optional). Any 12V DC vehicle battery; connect to 12V receptacle with auxiliary battery cable.
Dimensions	68.3 x 15 x 16.8 inches; 173.5 x 38.1 x 42.7 cm (L x W x H)
Shipping Data	71 x 19 x 20 inches; 180 x 48 x 54 cm (L x W x H) 73 lbs; 33.1 kg 15.6 cubic feet; 0.44 cubic meter Drum Kit: 8 lbs; 3.6 kg

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Blackhawk Electric Start 2620	-	86550
2	Blackhawk Electric Start	-	86550-20



Trailblazer Electric Start

Portable Thermal Fogger for Waterbased Products

Engineered with the user in mind, the Dyna-Fog Trailblazer is designed to dispense both petroleum and water-based products easier and more efficiently than other applicators.

For simple starting and operation, the Trailblazer features Dyna-Fog's patented 12 volt electric starting system to assure reliability, effectiveness, fuel efficiency and ease of operation. No pressurized gasoline tank required!

The Trailblazer produces a high output, nonresidual thermal fog with virtually no carbon monoxide, making it ideal for applications such as: dispensing fungicides, insecticides, germicides disinfectants and odor counteractants for application in green-houses, warehouses, factories, food processing plants, parks, campgrounds, cattlebarns, swine/ poultry houses, grain mills, restaurants, hotel complexes and much more. The Trailblazer is also used by Health Ministries throughout the world for controlling mosquitos that transmit diseases like West Nile Virus, Encephalitis, Malaria, Dengue Fever, Yellow Fever and Chagas.

Features


- Stainless steel pulse-jet engine
- Rugged chemical-resistant polyethylene formulation and fuel tanks
- Water based products

Specifications

Formulation Output	0-5 gallons/hr; 0-19 liters/hr; covers 32,000 cubic feet or 900 cubic meters/min
Droplet Size	0.5 – 50 microns VMD
Engine	30 Hp; 18 kW; 15,100 Kcal/hr
Fuel Consumption	0.3 GPH; 1.1 liters/hr
Weight	Empty: 27 lbs; 12.5 kg. Full: 37 lbs; 16.8 kg
Fuel Tank	0.85 quarts; 0.8 liter; non-pressurized
Formulation Tank	1 gallon; 3.8 liters; pressure = 4 psi; 0.28 bar
Flow Control	Metering valve
Power Supply	Eight 1.5V D size alkaline batteries. Any 12V DC vehicle battery; connect to 12V receptacle with auxiliary battery cable.
Options	Portable / rechargeable high energy 12 Volt DC battery (charger included).
Dimensions	29 x 10 x 18.2 inches; 74 x 25.4 x 46.4 cm (L x W x H)
Shipping Data	32 x 14 x 21 inches; 81 x 36 x 53 cm (L x W x H) 41 lbs; 18.6 kg 5.44 cubic feet; 0.154 cubic meter

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Trailblazer Electric Start	-	43200

Hand Held Thermal Fogging



Patriot

Portable Thermal Fogger

Reliable performance for mosquito control professionals. The Patriot's patented starting system even enables use in areas where poor quality gasoline is all that is available. Designed from over 50 years experience and built to the highest quality standards, the Patriot will give superior performance with simplicity and durability.

Produces more fog than any machine of its size in the world and can be started from a variety of battery sources.

Patented Fuel Priming System eliminates need for pressurized fuel tank. A 12 volt starting system ensures reliable starting even when battery power declines!

Features


- Reliable performance
- Produces large volumes of fog

Specifications

Formulation Output	0-5 gallons/hr; 0-19 liters/hr; covers 32,000 cubic feet or 900 cubic meters/min
Droplet Size	0.5 – 50 microns VMD
Engine	30 Hp; 18 kW; 15,100 Kcal/hr
Fuel Consumption	0.3 GPH; 1.1 liters/hr
Weight	Empty: 27 lbs; 12.5 kg. Full: 37 lbs; 16.8 kg
Fuel Tank	0.85 quarts; 0.8 liter; non-pressurized
Formulation Tank	1 gallon; 3.8 liters; pressure = 4 psi; 0.28 bar
Power Supply	Eight 1.5V D size alkaline batteries. Any 12V DC vehicle battery; connect to 12V receptacle with auxiliary battery cable.
Dimensions	29 x 9 x 18 inches; 74 x 24 x 46.4 cm (L x W x H)
Shipping Data	32 x 14 x 21 inches; 81 x 36 x 53 cm (L x W x H) 43 lbs; 19.5 kg 5.6 cubic feet; 0.15 cubic meter

ITEM	DESCRIPTION	MODEL #	ORDER #
1	Export Only Patriot	-	43400-20

Truck Mounted Thermal Fogging



Dyna-Fog Model 1200

The World's Standard for Maximum Fog Output

Ultimate fog applicator for large areas. The model 1200's tremendous capacity of 120 gallons (454 liters) per hour makes it capable of blanketing mammoth areas with dense heavy fog that destroys insects and pests in a fraction of the time required by other equipment.

Fully equipped with remote controls, it can be started, the fog can be regulated, and the machine can be shut off from the cab of the vehicle. An hour meter, a temperature gauge, two 120 volt AC receptacles, a heavy duty 12 volt DC battery and controllable output are all regular equipment on the 1200.

No other machine combines an extremely low noise level (less than 70 decibels) with such an enormous fog output. The 1200 runs much quieter than a typical thermal fogger or cold fogger.

Features

- Adjustable nozzle
- Corrosion resistant
- Faster coverage saves man hours and truck time
- Instant display hour meter and temperature meter
- Connects to a standard chemical drum
- 120 gal/hr (454 L/hour) Enables you to fog three times faster than conventional vehicle mounted foggers
- Tremendous capacity is capable of covering 12 acres in one minute (49000 square meters per minute)



Removable Remote Control Box Features in-cab visual/ operating capabilities for:

- Remote start
- Analog temperature gauge
- Controllable output
- Heating chamber on/off
- Fog on/off

Specifications

Formulation Output	15-120 gallons/hr; 57- 454 liters/hr; covers 12 acres; 5 hectares/min
Droplet Size	10 - 100 microns VMD
Nozzles	Adjustable high-volume output single nozzle. Two 45 degree directional elbows with stainless steel clamps. Optional Cold Fog Kit comes with rotary nozzle
Engine	Kohler 9.5 Hp (277 cc), 4-cycle, OHV, electric start. Optional Honda 10.5 Hp (344 cc), 4-cycle, OHV, or Yanmar diesel
Pump	Positive displacement gear pump
Weight	Empty: 467 lbs; 281 kg. Full: 620 lbs; 281 kg
Fuel Tank	5 quarts; 4.7 liters

Formulation / Heater Tank	15 gallons; 56.8 liters
Gauges and Meters	Digital tachometer/Hourmeter for engine. Pump control pressure gauge, 115V AC meter for generator. Remote control Hourmeter/Temperature gauge.
Dimensions	79 x 35 x 32 inches; 201 x 89 x 81 cm (L with nozzle x W x H) 55 x 35 x 32 inches; 140 x 89 x 81 cm (L without nozzle x W x H)
Options	Cold Fog Kit #49092, Weather Proof Cover #49100-1
Shipping Data	60 x 43 x 42 inches; 152 x 109 x 107 cm (L x W x H), 615 lbs; 279 kg, 62.7 cubic feet; 1.77 cubic meters


ITEM	DESCRIPTION	MODEL #	ORDER #
1	Dyna-Fog Model 1200	-	49000
2	Dyna-Fog Model 1200 (Export)	-	49000-20

1

Mister III Electric Start

Reliable, effective, and easy operation

Dispenses wettable powders, emulsifiable concentrates and flowables. Dispenses fungicides, insecticides, germicides and disinfectants as wettable powders, emulsifiable concentrates, flowables or liquids in a variety of applications: greenhouses, warehouses, food processing plants, swine/poultry houses and much more.




2

Nightstar

Treats up to 60,000 sq. ft. without auxiliary fans

Automatically dispenses all types of formulations into enclosed environments. Enables automatic, unattended spraying, reduced labor costs and worker exposure to chemicals. Assures a higher efficiency of chemical coverage by generating uniform droplets which are evenly distributed throughout the area being treated.



3

Mini-Lite

ULV/Mister

Light, affordable and handy ULV applicator. The ultimate in efficiency and convenience with comfort and ease of operation. Built to aircraft tolerances to achieve lightweight and superior performance in all applications. Designed as a dual-purpose machine for indoor and outdoor use. Can be quickly mounted on a small utility vehicle for mosquito and fly control.



4

Mini-Pro

High power with maximum efficiency

Simple to operate, set up, transport and store. Dispenses fungicides, insecticides, germicides, disinfectants, odor control and other chemical products. Engineered and developed with the professional in mind, it's ideal for cattle barns, food processing plants, warehouses, barracks, shopping ventures, schools, restaurant, apartments buildings, grain mills, factories and more.



ITEM	DESCRIPTION	MODEL #	ORDER #
1	Mister III	-	86650-1
2	Nightstar	-	64100-1
3	Mini-Lite	-	63910
4	Mini-Pro Diaphragm	-	63600-1





B&G Equipment Company
135 Region South Drive
Jackson, GA 30233

bgequip.com



Dyna-Fog
135 Region South Drive
Jackson, GA 30233

dynafog.com



Silvandersson Sweden AB
Lagavägen 28, SE – 312 51 Knäred
Sweden

silvandersson.se



Agrisense Industrial Monitoring
Unit 1-4 Taffs Mead Road
Glamorgan, CF37 5SU

agrisense.co.uk