



# 17-7-8 TOTAL

## 2-Stage

### GUARANTEED ANALYSIS:

|   |       |
|---|-------|
| Total Nitrogen (N)*                                   | 17%   |
| 9.30% Ammoniacal Nitrogen                             |       |
| 7.70% Nitrate Nitrogen                                |       |
| Available Phosphate (P <sub>2</sub> O <sub>5</sub> )* | 7%    |
| Soluble Potash (K <sub>2</sub> O)*                    | 8%    |
| Magnesium (Mg)*                                       | 1.20% |
| 1.20% Water Soluble Magnesium (Mg)                    |       |
| Sulfur (S)*   | 4.00% |
| 4.00% Combined Sulfur                                 |       |
| Boron   | 0.02% |
| Iron (Fe)*  | 0.20% |
| 0.2% Chelated Iron (Fe)                               |       |
| Manganese (Mn)*                                       | 0.06% |
| 0.06% Water Soluble Manganese (Mn)                    |       |
| Molybdenum (Mo)                                       | 0.02% |
| Copper (Cu)   | 0.05% |

**DERIVED FROM:** Polymer Coated: Ammonium Nitrate, Potassium Sulfate, Ammonium Phosphate, Calcium Phosphate, Magnesium Sulfate, Manganese Sulfate, Iron EDTA, Sodium Molybdate, Copper Sulfate, Sodium Borate | \*All the materials have been polymer coated to provide 17% Slow Release Nitrogen (N), 76% Slow Release Available Phosphate (P<sub>2</sub>O<sub>5</sub>), 8% Slow Release Soluble Potash (K<sub>2</sub>O), 1.2% Slow Release Magnesium (Mg), 0.2% Slow Release Iron (Fe), and 0.06% Slow Release Manganese (Mn), 0.05% Slow Release Copper (Cu), 0.02% Slow Release Molybdenum and 0.02% Slow Release Boron (B).

The below rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

| INCORPORATION RATES - LBS PER CUBIC YARD |     |     |      |       |
|--|-----|-----|------|-------|
|  | LOW | MED | HIGH | HEAVY |
| LBS                                      | 9   | 14  | 21   | 25    |

| BROADCAST RATES - LBS PER 1000SQFT |     |     |      |       |
|------------------------------------|-----|-----|------|-------|
|                                    | LOW | MED | HIGH | HEAVY |
| LBS                                | 14  | 17  | 19   | n/a   |

**NOTE:** low/med/high is crop specific information. HIGH refers to heavy feeding crop, LOW is for sensitive feeding crop.

| Conversion                                     |  |
|--|--|
| 5 Grams = 1 Teaspoon   15 Grams = 1 Tablespoon |  |

| TOP DRESS RATES - GRAMS PER CONTAINER |     |     |      |       |
|---------------------------------------|-----|-----|------|-------|
| VOL                                   | LOW | MED | HIGH | HEAVY |
| 1 GAL                                 | 15  | 20  | 25   | 40    |
| 3 GAL                                 | 45  | 65  | 85   | 100   |
| 7 GAL                                 | 70  | 95  | 135  | 165   |
| 10 GAL                                | 95  | 135 | 165  | 200   |
| 15 GAL                                | 115 | 165 | 200  | 240   |
| 20 GAL                                | 155 | 215 | 265  | 325   |
| 25 GAL                                | 200 | 240 | 340  | 410   |
| 45 GAL                                | 285 | 425 | 570  | 695   |
| 65 GAL                                | 440 | 640 | 835  | 1,020 |

This product contains technology to grow more ecologically. Use of this product helps raise awareness about the influence of sustainable principles for the future and environmental advocacy by Florikan.

**SKU: 17-7-8-270-2S**

**U.S. STANDARD - NET WEIGHT 50 LB. (22.68 KG.)**

Made In Japan



**Signal Word: WARNING**

**Hazard Statement:** Harmful if swallowed or inhaled - causes skin & serious eye irritation

**Precautionary Statement:** Do not inhale - wash skin thoroughly after handling product - do not smoke, drink or eat when using product - handle in well-ventilated areas - wear gloves & eye/face protection - call doctor/poison control if swallowed/inhaled, feel sick after handling, skin/eyes become irritated - wash contaminated clothes prior to reuse - dispose per US laws



8 13430 01068 2

**270 DAYS**

at avg soil temperature of 77°F

### AVG MEDIA TEMPS

| 70°        | 80°        | 90°        |
|------------|------------|------------|
| 300 10     | 270 9      | 240 8      |
| Days/Mnths | Days/Mnths | Days/Mnths |

**GUARANTEED BY: F1062**

**QUALITY CONTROL BATCH NUMBER:**

**WARNING TO PURCHASER, THIS IS A DISCLAIMER.** The performance warranty and/or release of this product, whether stated or implied, is null and void if improperly stored.

**Heavy Metal Statement:** Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

**CAUTION:** KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED. This product must be stored under cool and dry conditions.

**Environmental Caution:** As a precaution, fertilizer products should not be applied within 10 feet of any water body.

**Caution:** The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

**WARNING:** This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

**NOTE:** Fertilizer products can be hygroscopic and may be affected by humidity and/or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

F 6899023-2