

#### **Label Details:**

- Signal Word CAUTION
- Groups 5 & 7

#### **Use Sites:**

Non-cropland areas

- Barrier strips
- Fence rows
- Fuel storage areas
- Pipelines
- Roadsides
- Tank farms
- Railroad and Utility rights-of-way

# Bromacil/Diuron 40/40 Herbicide provides proven, season-

long control of annual and perennial grasses, broadleaf weeds and brush.

- Long lasting residual
- Consistent performance
- Excellent tank mix partner
- Proven tough on problem annual and perennial weeds

### **Common Tank-mix partners**

2,4-D Flagstaff® Promenade®
Dicamba 4 Imazapyr 4SL SFM 75
Dryphosate 75SG Panoramic® 2SL Triumph® 22K

For more information on Bromacil/Diuron 40/40 or other Alligare products, or to find your Alligare Regional Specialist, call 888-255-4427 or visit Alligare.com

Check with your Alligare regional specialist for product state registration status. Always follow all label instructions. 2020. Alligare, LLC



#### **Active Ingredients:**

- Bromacil: Group 5 Photosystem II Inhibitor
- Diuron: Group 7 Photosystem II Inhibitor

Bromacil and Diuron both work as PSII Inhibitors at different binding sites. For best resistance management practices, always use multiple modes of action in the tank.

## **Use Tips / For Best Results:**

- For best results, Bromacil/Diuron 40/40 Herbicide needs adequate moisture to be incorporated into the soil.
- Bromacil/Diuron 40/40 Herbicide primarily works through root uptake and has limited contact activity on target plants. After weeds have emerged, the addition of a burndown herbicide like Dryphosate 75SG or other common burndown herbicides will improve initial control of target species.
- When tank mixing with Bromacil/Diuron 40/40 Herbicide, thoroughly mix the product in the spray tank carrier (water) before adding any other herbicide or spray adjuvant. Perform a small compatibility test before adding the products into the spray tank using a combination of products not previously used.
- Mixing in Water Always follow the W.A.L.E.S. order of mixing. Fill Tank half full of water. Add Bromacil/Diuron 40/40 first followed by additional dry materials, then liquids, emulsifiables and finally - surfactants.

### Targeted Weeds: (See label for complete list)

Broadleaves
Curly Dock (p)
Dandelion (p)
Dogbane (p)
Goldenrod (a/p)
Kochia (a)

Mustards (a/p)
Pigweed (a)
Prickly Lettuce (a)
Puncturevine (a)
Ragweed (a/p)
Russian Thistle (a)


Grasses & Sedges
Bahiagrass (p)
Bermudagrass (p)
Bluegrass (p)
Bromes (a/p)
Foxtail (a)
Goosegrass (a)

Italian Ryegrass (a) Johnsongrass (p) Nutsedge (p) Quackgrass (p) Rye, Feral (a)

a= annual p=perennial

Marestail (a)







**Russian Thistle** 



**Johnsongrass** 

