Gentrol Complete EC3



PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING/AVISO

May be fatal if swallowed. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes skin, or oldhing! Wear protective eyevear, oggles or safety glasses. Wear long-sleeved shirt, long pants, shoss, socks and chemical-resistant gloves made of barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride ≥ 14 mils or viton ≥ 14 mils. Wash thoroughly with soap and water after handling, and before eating, dirikking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately



EPA Reg. No. 89459-119 EPA Est. No. 2724-TX-1 300529039



2.750"

OP1

from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators, and other handlers must wear the following: • Long-sleeved shirt • Long pants • Shoes and socks • Chemical resistant gloves made of barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride ≥ 14 mils or viton ≥ 14 mils

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.

If on skin or clothing: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continuing rinsing eye. • Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-248-7763 for emergency medical treatment information

PHYSICAL AND CHEMICAL HAZARDS - Do not use this product in or on electrical equipment due to the possibility of shock hazard.

ENVIRONMENTAL HAZARDS - This product is extremely toxic to aquatic organisms, including

fish and invertebrates. Do not apply directly to water, to areas where surface water is present. or to intertidal areas below the mean high water mark. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate. This product may contaminate water through run-off. This product has a potential for run-off for several months or more after application. Poorly draining soils and soils with shallow water tables are prone to produce run-off that contains this product. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Si usted no entiende la etiqueta, busque a alquien para que se la explique a usted en detalle. (If you

do not understand the label, find someone to explain it to you in detail.)

READ THE ENTIRE LABEL PRIOR TO USE. USE STRICTLY IN ACCORDANCE WITH ALL USE RESTRICTIONS AND DIRECTIONS.

GENERAL INFORMATION: Gentrol® Complete EC3 kills ants (excluding fire ants, pharoah ants,

and harvester ants), carpenter ants, German cockroaches, bed bugs, pantry pests (Indian meal moths, rice moths, tobacco moths, red flour beetles, confused flour beetles, lesser grain borers, merchant grain beetles, sawtoothed grain beetles, warehouse beetles, cigarette beetles, and Dermestid beetles), carpet beetles, crickets, flies (excluding biting flies, house flies, and lesser) house flies), drain flies, fruit flies, earwigs, firebrats, flour beetles, pillbugs, silverfish, sowbugs, and spiders (excluding black widow and brown recluse spiders), in buildings and structures and on modes of transport. Permitted areas of use: Inside homes, apartment buildings, private residences, schools, stores, and the food and non-food/feed areas of restaurants, food servicing

2.750"

2.688"

areas, food handling and manufacturing establishments, hotels, motels, office buildings, stores, lwarehouses, nursing homes, hospitals, grocery stores, industrial buildings, laboratories, mausoleums, and on vessels, rail cars, buses, trucks, trailers, and recreational vehicles. Do not anoly in aircraft cabins.

Gentrol® Complete EC3 contains a combination of an insecticide and IGR for kill of listed adult, linsects and residual control against future generations of listed pests. Gentrol® Complete EC4 contains SEMTROL® insect Growth Regulator (IGR). The IGR disrupts the normal development of immature German cockroaches, bed bugs, drain flies, fruit flies, and stored product pests (Indian, Immat morths, rice moths, tobacco moths, red flour beetles, confused flour beetles, lesser grain borers, merchant grain beetles, sawtoothed grain beetles, warehouse beetles, cigarette beetles, and Dermestid beetles). German cockroaches and bed bugs exposed to the IGR will become, adults incapable of reproducing. Gentrol® Complete EC3 also disrupts the normal life cycle of drain flies, fruit flies, and stored product pests; thus, killing these insects during the pupal stage. In both cases, the cycle of infestation ends.

This product is for use as a general surface (non-food/non-feed areas), crack-and-crevice, or ispot treatment in buildings and structures. Areas of use: industrial buildings, houses, closets, turniture, apartment buildings, laboratories, buses, stores, warehouses, vessels, railcars, trucks, 'trailers, aircraft (cargo and other non-cabin areas only), schools, nursing homes, hospitals, mausoleums, restaurants, hotels, food granaries, food grain mills and food manufacturing, processing, and servicing establishments.

Non-food/non-feed areas of food/feed handling establishments include floor drains (to sewers), loffices, locker rooms, boiler rooms, closets, and storage (after canning or bottling).

This product can be reapplied at 21-day intervals if necessary.

Mixing Instructions

Dilute this product with water for application using hand-held or power-operated application equipment as a coarse spray for crack-and-crevice or spot and general surface (non-food/non-feed areas only treatments. Application equipment that delivers low volume treatments, such as the Micro-Injector or Adisor applicator, may also be used to make crack-and-crevice or spot and general surface treatments. Fill applicator tank with the desired volume of water and add this product. Close and shake before use in order to ensure proper mixing. Shake or reagitate applicator tank before use if application is interrupted. Mix only amount of treatment volume as required. This product may be applied by using a paint brush or other porous applicator attached to a handle as a general surface treatment.

Tank Mixinn

This product may be tank mixed with other currently registered pesticides unless expressly prohibited by the product label. A small volume mixing test with the other products is recommended to ensure compatibility. If other chemicals are added to the applicator tank, add, this product last. Fill tank to desired volume and continue to agitate while making applications. It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and Directions for Use on all product labels involved in tank mixing. Users must follow the most restrictive Directions for Use and Precautionary Statements of each product in the tank mixture.

Foam Applications

This product may be converted to a foam and the foam used to treat structural voids to control or prevent pests including ants or other arthropods harboring in walls or in other void areas.

2.656" IP3 2.656" IP4

RATES FOR PESTS (HAND APPLICATION FOUIPMENT)

Pests	Dilution Rate (Concentration of Al)	Specific Use Directions
Ants! Bed Bugs Boxelder Bugs Carpet Beetles² Cigarette Beetles² Cockroaches, German³ Coriused Flour Beetles² Crickets¹ Earwigs Friebrats Flies5¹² Lesser Grain Borers Millipedes Pillbugs Red Flour Beetles	1.3 fl oz (38 mL) to 5.2 fl oz (154 mL) per gallon of water (0.015% – 0.06% AI)	Ants: Apply to any trails around doors and windows and other places where ants may be found. Locate and treat nests: Where ants are trailing inside, apply as a residual surface treatment to active areas including baseboards, corners, around piese, in and behind cabinets, behind and under refrigerators, sinks, furnaces and stoves, cracks and crevices. When combining baits and residual surface insecticides, apply surface insecticides in cracks and crevices, along baseboards, and infested surfaces and outside barrier treatments. Use baits in other areas that are untreated by residual insecticides. Bed Bugs: Clean floors and surfaces by vacuuming. Apply as a coarse, low-pressure spray to harborage areas including crevices, baseboards, loose plaster, behind bed frames and headboards, beneath beds and furniture, and to bed springs and bed frames.

Rice Weevils Do not apply to furniture surfaces or mattresses where people will be laying or sitting. Do not treat Sawtoothed Grain Beetles² Silverfish infested bedding - instead remove and place in sealed plastic bags, and take for laundering and dry at high Sowbuas temperatures. Spiders4 Cockroaches, Crickets, Earwigs, Firebrats, Stink Buas Silverfish, Spiders and Stink Bugs: Apply as a coarse, low pressure spray to areas where these pests hide including baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, cabinets, behind and under refrigerators, sinks, furnaces and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices Flies: Apply directly to walls, ceilings, window screens, and other resting areas as a residual surface treatment. May be used inside residential buildings. Pantry Pests (i.e., Carpet Beetles, Cigarette Beetles, Confused Flour Beetles, Lesser Grain Borers, Red Flour Beetles, Rice Weevils, and Sawtoothed Grain Beetles): Apply to cupboards, shelving, and storage areas. Remove all utensils, uncovered foodstuffs (or any having original package opened), and shelf paper before making application. Allow treated surfaces to dry and cover shelves with clean paper before

2.656"

IP5

2.656"

IP6

replacing any utensils, foodstuffs, or other items.

Destroy any foodstuffs accidentally contaminated with treatment solution

Boxelder Bugs, Millipedes, Pillbugs, and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Treat baseboards, storage areas, and other locations. Apply treatments to prevent infestation as described below.

Cluster Files: Apply in late summer or early fall before files are observed alighting on surfaces. In winter and spring when files become active and are emerging, interior crack-and-crevice and void treatments can help reduce the infestation, along with ULV or general surface application in infested affices or unooccupied folls.

¹Excluding fire ants, pharoah ants, and harvester ants.

²For control of LIGHT beetle infestations, use 0.030% rate.

³For German cockroaches, the labeled rate for maintenance treatments is 0.015% and for clean-out treatments is 0.030%. For control of severe infestations, use 0.060% rate.

Excluding brown recluse and black widow spiders. For clean-out/severe infestations, use 0.060% rate.
Excluding biting flies, House flies and Lesser House Flies.

For residual control, use 0.060% rate.

7In all states except California, rates for flies may be increased to 0.060% when environmental conditions are severe and/or populations are high.

Application Within Food Handling Establishments

For places other than private residences in which exposed food is held, processed, prepared, lor served including, areas for receiving, storage, packing (canning, botting), preparing foods, and enclosed processing systems (mills, dairies, edible oils, syrups), and serving areas: Use as a crack-and-crevice or spot treatment in and around both food and non-lfood areas. Apply directly into cracks and crevices, using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment and bases. Clean lfood contact surfaces and equipment with an effective cleaning compound and rinse with potable water before using

Limit individual spot treatments to an area no larger than 20% of the treated surface. Individual spot treatments may not exceed two sq ft. Take extreme care that the product is not introduced into the air. Avoid contamination of food and food processing surfaces.

Application Within Food Serving Areas

For facilities where foods are served, including dining rooms: Apply as a crack-and-crevice or spot treatment to selective surfaces including baseboards, under elements of construction, and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or foods are exposed. Food must be covered or removed in area being treated. Do not apply directly to food or allow applications to contaminate food.

NOTE: Application of this product in the Food Areas and/or Food Serving Areas of Food Handling Establishments other than as a spot and/or crack-and-crevice treatment is not permitted. Use of lapplication equipment such as the Micro-Injector® or Actisol® applicator in food areas should be limited to crack-and-crevice treatment only.

2.656"

2.656"

OP6

)P5

Amount of concentrate is dependent upon pest species (see pest table and comments), infestation levels, and service interval desired.

Rate Table

	Pest Severity	Application Rate: Fl oz (mL) of Gentrol® Complete EC3	Gallons of Water¹	Area of Coverage (sq ft)
	Maintenance	1.3 fl oz (38 mL)	1 gallon	800-1600 sq ft
	Clean-Out	2.6 fl oz (77 mL)	1 gallon	800-1600 sq ft
l	Severe	5.2 fl oz (154 mL)	1 gallon	800-1600 sq ft

¹Application volume for applications may be greater than 5 gallons/800-1600 sq ft if required.

LET TREATED SURFACES DRY BEFORE ALLOWING HUMANS AND PETS TO CONTACT ISURFACES.

RESTRICTIONS

- DO NOT apply this product in any room being used as living, eating, sleeping, or recovery area by patients, the elderly, or infirm when they are in the room.
- DO NOT apply to institutions (including libraries, sports facilities, etc..) in the immediate area
 when occupants are present.
- DO NOT apply to classrooms when in use.
- DO NOT apply this product to stored raw agricultural commodities used for food or feed.
- DO NOT allow applications to contact water inhabited by fish, such as in aquariums and

ornamental fish ponds that are located in structures being treated.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE AND SPILL PROCEDURES. Store upright at noon temperature. Keep container closed when not in use. Do not store near food or feed. Avoid exposure to extreme temperatures. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste. PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility. CONTAINER DISPOSAL: For Containers equal to or less than 5 gallons: Norrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or an tank tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available. If recycling is not available, then dispose of container in a sanitary landfill, or if allowed by state and local authorities. by burning. If burned, stay out of smoke.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Llability before buying or using this product. If the terms are not acceptable, return the product at once, unocened, and the ourchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop [conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Central Garden & Pet Company or Seller. To the extent consistent with applicable

2.656"

16.063″——

2.656"

OP4

OP3

law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Central Garden & Pet Company and Seller harmless for any claims relating to such factors.

ANY OTHER EXPRESS OR INVILLED WARRANT YEACH IS STATED ABOVE. To the fullest extent permitted by law, Central Garda & Pel Company or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE JEXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CENTRAL GARDEN & PET COMPANY AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INLURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLICENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CENTRAL GARDEN & PET COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Central Garden & Pet Company and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Central Garden & Pet Company.



2.688"

OP2

Gentrol Complete EC3

KEEP OUT OF REACH OF CHILDREN WARNING

 ACTIVE INGREDIENTS:

 Lambda-cyhalothrin
 1.5%

 S-Hydroprene
 1.5%

 OTHER INGREDIENTS
 _97.0%

 TOTAL
 100.0%

See additional PRECAUTIONARY STATEMENTS and Directions for Use in booklet. Si usted no entiende la etiqueta, busque a alguien para que la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

Gentrol and Zoëcon with design are registered trademarks of Wellmark International. Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

Manufactured for: Central Garden & Pet Company 1501 East Woodfield Road 200W • Schaumburg, IL 60173

EPA Reg. No. 89459-119 EPA Est. No. 2724-TX-1 300529039



NET CONTENTS: 1 PT (16 FL OZ) 473 ml

Flexo Base