

PREFURRED® PLUS For Cats

For use ONLY on cats of ALL weights over 12 weeks of age

- •Kills fleas, ticks, and chewing lice (Kills bar)
- •Starts to kill fleas and ticks in an hour, continues to kill for a month
- •Fast Acting
- •Waterproof
- Easy to Use Application
- •3 Month Supply

ACTIVE INGREDIENTS:

Fipronil	9.80%
Etofenprox	15.00%
OTHER INGREDIENT[**]	<u>75.20 %</u>
TOTAL:	100.00%

[**diethylene glycol monoethyl ether]

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

Three 0.017 fl oz (0.50 ml) applicators

(END-Front Panel)

[BACK/SIDE CARTON LABEL - MARKET LABEL]

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS OVER 12 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Harmful if absorbed through skin.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on kittens under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-866-897-8050 for 24-hour assistance.

FIRST AID			
If In Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 		
If On Skin Or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-866-897-8050.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

FOR EXTERNAL USE ON CATS ONLY. Do not use on kittens under 12 weeks of age. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. **Best if used year round**. Consult a veterinarian before using this product on debilitated, aged, medicated cats. Consult a veterinarian before using on cats with known organ dysfunction. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Cats and dogs that actively groom or engage in close physical contact with treated cat may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your pet for the next 24 hours.

Sensitivities may occur after using ANY pesticide product on cats. If signs of sensitivity occur bathe your cat with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-866-897-8050.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: While holding the cat with one hand, use the other hand to apply the solution. Invert the tube and use the narrow end to part the cat's hair. Apply contents of one tube of **PREFURRED PLUS** as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the tube in paper and put into the trash. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Use **PREFURRED PLUS** monthly for complete control of flea, tick and chewing lice infestations. **PREFURRED PLUS** kills fleas for up to six weeks. Apply monthly, if your pet is at high risk for flea reinfestation. Apply monthly to control ticks, and chewing lice. **PREFURRED PLUS** kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days. **PREFURRED PLUS** remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

In Case of Emergency, call: 1-866-897-8050

Made in USA

Distributed by: Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

[BAR CODE AREA] EPA Reg. No. 2517-148 EPA Est. No. 2517-TN-1 EPA Est. No. 2517-NE-02

{FOLDED PANEL/FLAP OF FRONT PACKAGE}

PREFURRED PLUS contains Fipronil and Etofenprox to effectively kill fleas, ticks, and chewing lice. The active ingredients in **PREFURRED PLUS** feature a sustained-release formula developed for fast-acting and long-lasting control of fleas, ticks, and chewing lice for 30 days on cats and kittens 12 weeks or older.

How to Open:

- **1.** Remove product tubes from the package.
- **2.** Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to Apply:

- 1. Invert tube over cat and use open end to part cat's hair.
- 2. Apply contents of one tube of **PREFURRED PLUS** as a spot between the shoulder blades. Squeeze tube firmly to apply all of the solution to the cat's skin.

Easy Topical Checklist

- 1. Read the label completely and follow directions
- 2. Weigh your pet
- 3. Do NOT use Dog products on Cats
- 4. Do NOT treat with more than one pesticide product at a time
- 5. Separate animals after treatment to avoid chance of ingestion
- 6. Do NOT split tubes between pets

PREFURRED PLUS

For Cats

Starts to kill fleas and ticks in an hour, continues to kill for a month

Apply **PREFURRED PLUS** monthly for continuous protection against fleas, ticks and chewing lice.

Pet's Name (Empty blank for owner to fill in name)

First dose (Empty blank for owner to fill in date)

Second dose (Empty blank for owner to fill in date)

Third dose (Empty blank for owner to fill in date)

{END -FOLDED PANEL/FLAP OF FRONT PACKAGE}

TUBE LABEL

Front Label Back Label

Prefurred Plus For Cats [For use only on	KEEP OUT OF REACH OF CHILDREN	
cats/kittens 12 weeks or older]	CAUTION: Read directions and precautions	
Fipronil 9.8% w/w, Etofenprox 15% w/w	before using. Use scissors to open.	
0.017 fl oz [0.50 mL] {label code}	EPA REG. No. 2517-148 {label code}	