

Revision date : 2013/12/27 Version: 1.9 Page: 1/10 (30523611/SDS CPA US/EN)

1. Product and Company Identification

Company BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA 24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Substance number: Synonyms: 000000465826 Pyrethrins + piperonyl butoxide

2. Hazards Identification

Emergency overview

CAUTION: FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF ABSORBED THROUGH SKIN. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling. Aerosol container contains flammable gas under pressure.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: whitish Odour: solvent-like

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Revision date : 2013/12/27 Version: 1.9 Page: 2/10 (30523611/SDS_CPA_US/EN)

Irritation / corrosion:

May cause moderate irritation to the skin. May cause slight but temporary irritation to the eyes.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Signs and symptoms of overexposure:

Vomiting may cause aspiration pneumonia due to the ingredients.

3. Composition / Information on Ingredients

CAS Number	Content (W/W)	Chemical name
8003-34-7	<= 3.0 %	pyrethrum
51-03-6	<= 3.0 %	Piperonyl butoxide
64742-47-8	<= 25.0 %	Distillates (petroleum), hydrotreated light;
68476-40-4	<= 15.0 %	Hydrocarbons, C3-4
	>= 54.0 %	Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Do not give solids or liquids.

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

5. Fire-Fighting Measures

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Revision date : 2013/12/27 Version: 1.9		Page: 3/10 (30523611/SDS_CPA_US/EN)
Upper explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Flammability of Aerosol Products: NFPA 30B flammability:	> 18 in no flashback	(ASTM D 3065
Self-ignition temperature:	Level 1 Aerosol	not self-igniting

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons: water jet

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct

Revision date : 2013/12/27

Page: 4/10 (30523611/SDS_CPA_US/EN)

contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

Version: 1.9

General advice:

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Temperature tolerance

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date : 2013/12/27

Version: 1.9

Page: 5/10 (30523611/SDS_CPA_US/EN)

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour: Colour: pH value: Vapour pressure: Density: Vapour density: Viscosity, dynamic: liquid, aerosol solvent-like whitish approx. 6.5 70 psia approx. 0.9 g/cm3

(20 °C) (20 °C) not determined not determined

10. Stability and Reactivity

Substances to avoid:

No substances known that should be avoided.

Hazardous reactions:

The product is chemically stable.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products: carbon monoxide, carbon dioxide, halogenated hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

11. Toxicological information

Acute toxicity

Oral: Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50 Species: rat (male/female) Value: > 2.16 mg/l Exposure time: 4 h

Revision date : 2013/12/27 Version: 1.9 Page: 6/10 (30523611/SDS_CPA_US/EN)

Dermal:

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

Irritation / corrosion

Information on: Distillates (petroleum), hydrotreated light Assessment of irritating effects: Skin contact causes irritation. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin:

Species: rabbit Result: moderately irritating

Eye:

Species: rabbit Result: Minimally irritating.

Genetic toxicity

Information on: pyrethrum No mutagenic effects reported.

Information on: Piperonyl butoxide Mutagenicity tests revealed no genotoxic potential.

Information on: Distillates (petroleum), hydrotreated light

The substance was not mutagenic in bacteria. The substance was not genotoxic in mammalian cell culture. The substance was not mutagenic in mammalian cell culture. The substance was not genotoxic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Information on: pyrethrum Not Likely to Be Carcinogenic to Humans. Information on: Piperonyl butoxide In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. The US EPA has classified this substance with the rating of 'C', possible human carcinogen.

Reproductive toxicity

Information on: pyrethrum No reproductive toxic effects reported. Information on: Piperonyl butoxide No reproductive toxic effects reported. The results of animal studies gave no indication of a fertility impairing effect.

Development:

Information on: pyrethrum No indications of a developmental toxic / teratogenic effect were seen in animal studies. Information on: Piperonyl butoxide No indications of a developmental toxic / teratogenic effect were seen in animal studies. Information on: Distillates (petroleum), hydrotreated light

Revision date : 2013/12/27

Page: 7/10 (30523611/SDS_CPA_US/EN)

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Fish

Version: 1.9

Information on: Pyrethrins

Information on: Piperonyl butoxide Acute: other Oncorhynchus mykiss/LC50 (96 h): 6.12 mg/l

Information on: Distillates (petroleum), hydrotreated light Acute: OECD Guideline 203 semistatic Oncorhynchus mykiss/LL50 (96 h): 2 - 5 mg/l The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

Information on: pyrethrum Acute: Daphnia magna/EC50 (48 h): 0.012 mg/l Daphnia magna/No observed effect concentration (28 d): 0.00086 mg/l

Information on: Piperonyl butoxide Acute: other Daphnia magna/EC50 (48 h): 0.51 mg/l

Information on: Distillates (petroleum), hydrotreated light Acute: OECD Guideline 202, part 1 static Daphnia magna/EL50 (48 h): 1.4 mg/l

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

Information on: Distillates (petroleum), hydrotreated light Toxicity to aquatic plants: OECD Guideline 201 static green algae/EL50 (72 h): 1 - 3 mg/l The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. OECD Guideline 201 static green algae/No observed effect concentration (72 h): 1 mg/l

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Piperonyl butoxide Toxicity to aquatic plants: other green algae/EC50:

Revision date : 2013/12/27 Version: 1.9

Page: 8/10 (30523611/SDS_CPA_US/EN)

Degradability / Persistence Biological / Abiological Degradation

Information on: Distillates (petroleum), hydrotreated light;

Information on: Piperonyl butoxideTest method:OECD 301D; EEC 92/69, C.4-E (aerobic),Degree of elimination:approx. 4 % (28 d)Test method:OECD 308 (aerobic),Degree of elimination:(120 d)Evaluation:Evaluation:

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport USDOT Hazard class: ID number: Hazard label: Proper shipping name:	2.1 UN 1950 2.1, EHSM AEROSOLS (contains SOLVENT NAPHTHA, PETROLEUM GASES, LIQUEFIED, SWEETENED)
Sea transport IMDG	
Hazard class: ID number: Hazard label: Marine pollutant: Proper shipping name:	2.1 UN 1950 2.1, EHSM YES AEROSOLS (contains SOLVENT NAPHTHA, PETROLEUM GASES, LIQUEFIED, SWEETENED)
Air transport IATA/ICAO	
Hazard class: ID number: Hazard label: Proper shipping name:	2.1 UN 1950 2.1 AEROSOLS, FLAMMABLE (contains SOLVENT NAPHTHA, PETROLEUM GASES, LIQUEFIED, SWEETENED)

Revision date : 2013/12/27 Version: 1.9

Page: 9/10 (30523611/SDS_CPA_US/EN)

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical	TSCA, US	blocked / not listed
Crop Protection	TSCA, US	released / exempt

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established

EPCRA 311/312 (Hazard categories):

Acute; Chronic

EPCRA 313: CAS Number

CAS NumberChemical name51-03-6Piperonylbutoxide

CAS Number

8003-34-7

CERCLA RQ 1 LBS Chemical name Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
NJ	51-03-6	Piperonyl butoxide
MA, NJ, PA	64742-47-8	Distillates (petroleum), hydrotreated light;

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

SDS Prepared by: BASF NA Product Regulations msds@basf.com

Revision date : 2013/12/27 Version: 1.9 Page: 10/10 (30523611/SDS_CPA_US/EN)

SDS Prepared on: 2013/12/27

PT®B MICROCARE® PRESSURIZED CAPSULE SUSPENSION is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS. DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET