

# PROFOAM PLATINUM®

## Foaming Agent

**ProFoam Platinum** is a unique blend of foaming agents offering treatment capabilities by transporting all types of products to remote areas such as wall voids, ground voids, drains and other voids needing complete treatment of all surface areas. This product can be added to soil termiticides, borates or drain cleaning agents to create a foam for treatment requirements. Not Prop 65 listed in California.

- The highest quality foam, labeled for broad use, compatible with all insecticides tested on the market.
- pH balanced with a non-repellent and non-ionic formula – less corrosive than ionic formulas on the market.
- Ideal for use in remote areas as well as in vertical and horizontal spaces including wall voids, tunnels, ground voids and drains.
- Handy squeeze & pour quart container allows for easy measurement of one ounce at a time.
- Perfect for sensitive environments such as food establishments.
- Can be used for all your foaming applications.



Nothing else stacks up.





ProFoam Platinum – a unique blend of foaming agents offering treatment capabilities by transporting all types of products to remote areas. Wall Voids • Tunnels • Ground Voids • Drains

- Other voids needing complete treatment of all vertical and horizontal surfaces.

#### PRINCIPLE FUNCTION AGENTS:

Sodium Decyl Sulfate, Sodium Lauroampho Acetate, Sodium Lauryl Sulfate .....	60%
Constituents ineffective as spray adjuvants .....	40%
Total.....	100%

CA REG. NO. 1051148-50001-AA WA REG. NO. 99932-05001

## WARNING KEEP OUT OF REACH OF CHILDREN

### First Aid

Wash thoroughly after handling. If Swallowed: Do not induce vomiting. Contact a physician immediately. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. IF ON SKIN OR CLOTHING: Remove contaminated clothing immediately; flush skin with water for at least 15 minutes. If skin irritation occurs, get medical advice/attention. IF INHALED: Move to fresh air.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wash thoroughly after handling. Avoid release to the environment. Dispose of contents/container to disposal recycling center.

Causes eye irritation and mild skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Do not apply this product in a manner as to directly or through drift expose workers or other persons.

#### Environmental Hazards

Avoid release into the environment. Harmful to aquatic life.

#### Physical or Chemical Hazards

Do not store with oxidizing agents.

### STORAGE AND CONTAINER DISPOSAL

Store in closed areas and in original container. Use caution when moving, opening or pouring. Triple rinse (or equivalent). Do not allow water to be introduce into the contents of this container. Do not store near heat or open flame. Dispose of contents/container to disposal recycling center. Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste.

Waste management should be in full compliance with federal, state and local laws.

### MIXING GUIDELINES:

#### Add foaming agent as follows

##### To Achieve Low Expansion

1 - 7 to 1  
½ to 1 ½ oz. / gal.  
(4 mls. to 12 mls. / liter)

##### To Achieve High Expansion

8 - 20 to 1  
1 ½ to 9 oz. / gal.  
(12 mls. to 71 mls. / liter)

Expansion rates will vary depending on water pH, temperature and product used.

### DIRECTIONS FOR USE

ProFoam Platinum provides a unique blend of foaming agents for the transport of all types of products to areas such as: drains, wall voids and other areas requiring complete treatment of all vertical and horizontal surfaces. Follow all mixing instructions on chemical manufacturer's label, adding ProFoam as directed. User must complete any equipment and other calibration steps that may be required to ensure proper coverage. ProFoam rates will vary depending on chemical and equipment used. For use in food plants. Food contact surfaces are to be rinsed with potable water before reuse.

Evaluated and accepted by:  
Canadian Food Inspection Agency

### EQUIPMENT INFO

ProFoam was designed for the NPD Products Ltd. line of equipment but will also work in other foam generators. ProFoam may be metered through in-line injection devices such as venturi and proportional injectors. Each of these dispensing systems uses different technology. Contact your equipment manufacturer for detailed instructions.

**NOTICE:** Carefully follow all directions. All information on the use of this product are believed to be reliable. Mixtures with other chemicals and equipment used are beyond the control of the manufacturer and seller. Buyer assumes all risks in use, storage and handling of this material. All use must be in strict accordance with label directions.

In no case shall the manufacturer or the seller be liable for consequential or indirect damages resulting from the use of or handling of this product. The buyer assumes all risk and accepts this as a condition of sale. No other warranty is expressed or implied.



Manufactured and Distributed by:

**Nisus Corporation**

100 Nisus Drive.  
Rockford, TN 37853 USA  
800-264-0870

**FOR:**



**NPD Products Ltd.**

NoHowe Product Development  
2325 Old Second South  
Midhurst, Ont. Canada L0L 1X1  
705-734-0932



ProFoam Platinum – un mélange unique d'agents moussants offrant des capacités de traitement en transportant des produits de tous types dans les endroits difficiles d'accès. Vides dans les murs • Tunnels • Vides dans le sol • Drains • Autres vides nécessitant un traitement complet de toutes les surfaces verticales et horizontales.

#### **PRINCIPAUX AGENTS ACTIFS :**

Sodium Decyl Sulfate, Sodium Lauroampho Acetate, Sodium Lauryl Sulfate .....	60%
Ingrédients inefficaces en tant qu'adjuvants à vaporiser .....	40%
Total .....	100%

CA REG. NO. 1051148-50001-AA N° d'enr. de la Californie  
WA REG. NO. 99932-05001 N° d'enr. de l'État de Washington

### **AVERTISSEMENT**

## **MISE EN GARDE – GARDER HORS DE LA PORTÉE DES ENFANTS**

#### **MISES EN GARDE**

##### **Dangers pour l'homme et les animaux domestiques**

Cause l'irritation des yeux et une légère irritation de la peau.

##### **Dangers pour l'environnement**

Nocif pour la vie aquatique. Éviter le rejet dans l'environnement.

##### **Dangers physiques et chimiques**

Ne pas entreposer avec des agents oxydants.

#### **PREMIERS SOINS**

Se laver complètement après la manutention. **EN CAS D'INGESTION** : Ne pas faire vomir. Consulter un médecin immédiatement. **EN CAS DE CONTACT AVEC LES YEUX** : Rincer soigneusement avec de l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si elles sont présentes et qu'il est possible de le faire facilement. Poursuivre le rinçage. Si l'irritation oculaire persiste, consulter un médecin. **EN CAS DE CONTACT AVEC LA PEAU OU LES VÊTEMENTS** : Enlever immédiatement les vêtements contaminés et rincer la peau avec de l'eau pendant au moins 15 minutes. Si l'irritation de la peau se produit, consulter un médecin. **EN CAS D'INHALATION** : Transporter la victime à l'air libre.

**Consulter le livret pour d'autres mises en garde et le mode d'emploi.**

#### **MISES EN GARDE**

##### **Dangers pour l'homme et les animaux domestiques**

Si des conseils médicaux sont nécessaires, avoir le contenant ou l'étiquette du produit à sa disposition. Garder hors de la portée des enfants. Lire l'étiquette avant l'utilisation. Se laver complètement après la manutention. Éviter le rejet dans l'environnement. Éliminer le contenu/contenant à un centre de recyclage.

Cause l'irritation des yeux et une légère irritation de la peau. Nocif en cas d'ingestion, d'inhalation ou d'absorption par la peau. Éviter de respirer la brume de pulvérisation. Éviter le contact avec la peau, les yeux ou les vêtements. Ne pas appliquer ce produit d'une manière qui peut exposer les travailleurs ou d'autres personnes directement ou par dérive.

##### **Dangers pour l'environnement**

Éviter le rejet dans l'environnement. Nocif pour la vie aquatique.

##### **Dangers physiques et chimiques**

Ne pas entreposer avec des agents oxydants.

#### **SENTREPOSAGE ET ÉLIMINATION DU CONTENANT**

Entreposer dans un endroit fermer et dans son contenant d'origine. Être prudent lors du déplacement, de l'ouverture ou du versement. Rinçage triple (ou l'équivalent). Ne pas laisser d'eau pénétrer dans le contenu de ce contenant. Ne pas entreposer près d'une source de chaleur ou d'une flamme nue. Éliminer le contenu/contenant à un centre de recyclage. En vertu de la RCRA, il incombe à l'utilisateur du produit d'établir au moment de l'élimination si le produit répond aux critères de la RCRA pour les matières dangereuses. La gestion des déchets doit se conformer

complètement aux lois fédérales, provinciales, d'État et locales.

**DIRECTIVES DE MÉLANGE :**

**Ajouter l'agent moussant tel qu'indiqué ci-dessous :**

*Pour obtenir un faible taux d'expansion*

1 à 7 pour 1

½ à 1 ½ oz/gal.

(4 à 12 ml/l)

*Pour obtenir un taux d'expansion élevé*

8 à 20 pour 1

1 ½ à 9 oz/gal.

(12 à 71 ml/l)

Le taux expansion variera en fonction du pH et de la température de l'eau et du produit utilisé.

**MODE D'EMPLOI :**

ProFoam Platinum représente un mélange unique de moussants pour le transport de tous les types de produits dans des zones comme des drains, des vides dans les murs et d'autres zones exigeant le traitement complet de toutes les surfaces verticales et horizontales. Observer les instructions de mélange sur l'étiquette du fabricant du produit chimique en ajoutant du ProFoam selon les directives. L'utilisateur doit réaliser toutes les étapes d'étalonnage de l'équipement et autres qui peuvent être requises afin d'assurer une couverture adéquate. Les proportions de ProFoam varient en fonction du produit chimique et de l'équipement utilisé. Pour l'utilisation dans les usines de transformation des aliments. Les surfaces en

contact avec les aliments doivent être rincées avec de l'eau potable avant la réutilisation.

Évalué et accepté par :

l'Agence canadienne d'inspection des aliments.

**RENSEIGNEMENTS AU SUJET DE L'ÉQUIPEMENT**

ProFoam a été conçu pour la gamme d'équipement de NPD Products Ltd., mais il fonctionnera aussi avec d'autres générateurs de mousse. ProFoam peut être dosé à l'aide de dispositifs d'injection en ligne comme des venturis ou des injecteurs proportionnels. Chacun de ces systèmes de distribution utilise une technologie différente. Contactez le fabricant de votre équipement pour des instructions détaillées.

**AVIS :** Veiller à suivre toutes les instructions. Nous croyons que toute l'information sur l'utilisation de ce produit est fiable. Le mélange avec d'autres produits chimiques et l'équipement utilisé sont hors du contrôle du fabricant et du revendeur. L'acheteur assume tous les risques liés à l'utilisation, à l'entreposage et à la manutention de cette matière. L'utilisation doit toujours être strictement conforme aux instructions sur l'étiquette.

Le fabricant ou le revendeur ne peuvent en aucune circonstance être tenus responsables des dommages indirects ou accessoires résultant de l'utilisation ou de la manutention de ce produit. L'acheteur assume tous les risques et accepte ce fait comme condition de la vente. Il n'y a aucune autre garantie expresse ou implicite.



Manufactured and Distributed by:

**Nisus Corporation**

100 Nisus Drive • Rockford, TN 37853 USA • 800-264-0870

**FOR:**



**NPD Products Ltd.**

NoHowe Product Development

2325 Old Second South • Midhurst, Ont. Canada L0L 1X1 • 705-734-0932

ProFoam est une marque déposée du NPD Products Ltd. Nisus Corporation est une marque déposée de Nisus Corporation.

©2020- Nisus Corporation. #PF-FR-0320a

**CA REG. NO. 1051148-50001-AA**

**N° d'enr. de la Californie**

**WA REG. NO. 99932-05001**

**N° d'enr. de l'État de Washington**

## SAFETY DATA SHEET



**Health Emergencies: INFOTRAC® (800) 535-5053**

### **1. PRODUCT AND COMPANY INFORMATION**

**Product Identity:** ProFoam Platinum®

**Product Use:** Use a unique blend of foaming agents for the transport of all types of products to areas such as: drains, wall voids and other areas requiring complete treatment of all vertical and horizontal surfaces.

**Uses Advised Against:** None known.

**Manufacturer:** Nisus Corporation  
100 Nisus Drive  
Rockford, TN 37853

**Telephone:** Phone: (800) 264-0870  
Fax: (865) 577-5825

**Emergency Phone:** 800-535-5053 (INFOTRAC)

**SDS Date of Preparation:** 03/22/2017

### **2. HAZARDS IDENTIFICATION**

**GHS Classification:**

Physical	Health	Environment
Not Hazardous	Eye Irritant Category 2 (H319) Skin Irritant Category 2 (H315) Skin Sensitization Category 1 (H317)	Not Hazardous

**EU Classification:** Not a dangerous preparation.

**GHS Label Elements:**

Signal Word: Warning!

**Statements of Hazard**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

**Precautionary Statements**

P261 Avoid breathing mists or spray.  
P264 Wash hands thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves and eye protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical attention.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents and container in accordance with local and national regulations.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS#	EINECS#	EU Classification (67/548/EEC)	Classification	Amount
Sodium Decyl Sulfate	142-87-0	205-568-5	F, Xn R11, R20/22, R37/38, R41	Flam. Solid Cat 1 (H228), Acute Tox. Cat 4 (H302, H332), Skin Irrit. Cat 2 (H315), Eye Dam. Cat 1 (H318), STOT SE Cat 3 (H335), Aquatic Chronic Cat 3 (H412)	<10%
Sodium Lauryl Sulfate	151-21-3 / 68585-47-7	205-788-1 / 271-557-7	F, Xn R11, R20/22, R37/38, R41	Flam. Solid Cat 2 (H228), Acute Tox. Cat 4 (H302, H332), Skin Irrit. Cat 2 (H315), Eye Dam. Cat 1 (H318), STOT SE Cat 3 (H335), Aquatic Chronic Cat 3 (H412)	<10%
Glycoside	68515-73-1	500-220-1	Xi R41	Eye Dam. Cat 1 (H318)	<3%
Sodium sulfate	7757-82-6	231-820-9	Xi R43	Skin Sens. Cat 1 (H317)	<0.5%

**The exact formulation is being withheld as a trade secret.**

**Refer to Section 16 for the full text of the GHS and EU Classifications.**

### **4. FIRST AID MEASURES**

**Description of necessary first aid measures:**

**Eye:** Immediately flush eyes with large quantities of water for several minutes, while holding the eyelids apart. Remove contact lenses if easy to do so. Continue rinsing. Get medical attention if irritation persists.

**Skin:** Remove contaminated clothing and shoes. Flush thoroughly with water for several minutes. Get medical attention if irritation or rash occurs. Launder clothing before re-use.

**Ingestion:** Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

**Inhalation:** Move victim to fresh air. Get medical attention if irritation develops.

**Most important symptoms and effects both acute and delayed:** Direct contact with eyes may cause moderate to severe irritation. May cause moderate skin irritation. May cause skin sensitization. Inhalation of mist or vapors may cause respiratory tract irritation.

**Indication of any immediate medical attention and special treatment needed:** Immediate medical attention should not be required.

### **5. FIRE FIGHTING MEASURES**

**Extinguishing media:** Use media appropriate for surrounding fire.

Cool fire exposed containers and structures with water.

**Special Hazards Arising from the Substance or Mixture:** This product is not flammable or combustible. A solid stream of water or foam directed into hot, burning liquids can cause frothing. Burning may produce oxides of carbon, nitrogen, and sulfur, and/or low molecular weight hydrocarbons.

**Advice for Fire-Fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures:

Evacuate spill area and keep unprotected personnel away. Avoid contact with the eyes, skin and clothing. Avoid breathing mists or vapors. Wear appropriate protective clothing as described in Section 8.

**Environmental Precautions:** Report releases as required by local, state and federal authorities.

**Methods and Material for Containment and Cleaning Up:** Dike and collect liquid or absorb with an inert absorbent and place in appropriate containers for disposal.

**Reference to Other Sections:** Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** Avoid contact with the eyes, skin and clothing. Avoid breathing mists or vapors. Wear protective clothing and equipment as described in Section 8. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep containers closed when not in use

Nonrefillable container. Do not reuse containers. Product residues in empty containers can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including Any Incompatibilities:** Store in a cool, dry, well-ventilated area away from oxidizers and other incompatible materials. Keep out of reach of children and pets. Keep containers tightly closed. Protect from physical damage. Keep in locked storage. Avoid freezing or excessive heat.

**Specific end use(s):** Industrial use only.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters:

Chemical Name	Exposure Limits
Sodium Decyl Sulfate	None Established
Sodium Lauryl Sulfate	None Established
Glycoside	None Established
Sodium sulfate	None Established

### Exposure Controls:

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to minimize exposures levels.

### Personal Protective Equipment:

**Respiratory Protection:** In operations where exposure levels are exceeded, an approved respirator with dust/mist cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with applicable regulations and good industrial hygiene practice. Refer to the product label for additional information.

**Skin Protection:** Wear impervious gloves to prevent skin contact.

**Eye/Face Protection:** Wear safety goggles where splashing is possible.

**Other:** Wear long-sleeve shirts, long pants, socks and shoes when using this product. Suitable washing facilities should be available in the work area

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Amber, viscous liquid

**Odor:** Distinct odor

**Odor Threshold:** No data available

**pH:** 8.3 @ 25°C (77°F)

**Melting point/Freezing point:** No data available.

**Initial boiling point/range:** No data available.

**Flash Point:** No data available

**Evaporation Rate:** No data available

**Flammability (solid, gas):** Not applicable.

**Flammable Limits:** LEL: No data available

UEL: No data available

**Vapor Pressure:** 3.2 kPa @ 25°C (77°F)

**Vapor Density:** No data available

**Relative Density:** No data available

**Solubility (ies):** 620 g/L

**Octanol/Water Partition Coefficient:** No data available

**Autoignition Temperature:** No data available

**Decomposition Temperature:** No data available

**Viscosity:** 1172 cp @ 25°C (77°F)

**Explosive Properties:** Not explosive.

**Oxidizing Properties:** Not an oxidizer.

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not normally reactive.

**Chemical stability:** Stable under normal storage and handling conditions.

**Possibility of hazardous reactions:** Material is not known to polymerize.

**Conditions to avoid:** Exposure to strong oxidizing agents.

**Incompatible materials:** Avoid strong oxidizing agents, strong acids, strong bases, and reducing agents.

**Hazardous decomposition products:** When heated to decomposition emits oxides of carbon, nitrogen, and sulfur, and/or low molecular weight hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects:

#### Potential Health Effects:

**Eye:** May cause moderate to severe irritation with redness, pain and tearing.

**Skin:** May cause moderate skin irritation. May cause an allergic skin reaction (sensitization).

**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**Inhalation:** Inhalation of mists may cause irritation of the nose, throat and upper respiratory tract.

**Chronic Hazards:** None known.

#### Acute Toxicity Values:

##### Product Toxicity Data:

ATE Oral: >5000 mg/kg (calculated)

ATE Inhalation: >20 mg/L

##### Component Toxicity Data:

Sodium Decyl Sulfate: Oral rat LD<sub>50</sub>: 1200 mg/kg, Dermal rat LD<sub>50</sub>: >2000 mg/kg

Sodium Lauryl Sulfate: Oral rat LD<sub>50</sub>: 1200 mg/kg, Dermal rat LD<sub>50</sub>: >2000 mg/kg

Glycoside: Oral rat LD<sub>50</sub>: >2000 mg/kg, Dermal rabbit LD<sub>50</sub>: >2000 mg/kg

Sodium sulfate: Oral rat LD<sub>50</sub>: >2000 mg/kg, Inhalation rat LC<sub>50</sub>: >2.4 mg/L/4hr

**Irritation:** Sodium Decyl Sulfate: Irritating to rabbit skin. Irritating to rabbit eyes with a 22% solution. Not irritating to rabbit eyes with a 10% solution. Sodium Lauryl Sulfate: Irritating to rabbit skin. Irritating to corrosive to rabbit eyes with a 25% solution. Glycoside: Not irritating to rabbit skin. Highly irritating to rabbit eyes. Sodium sulfate: Not irritating to rabbit skin. Slightly irritating to rabbit eyes.

**Corrosivity:** Sodium Decyl Sulfate and Sodium Lauryl Sulfate: Classified as corrosive to eyes with >20% solutions. Glycoside: Classified as corrosive to eyes.

**Sensitization:** This material may cause sensitization based on the component sodium sulfate.

**Carcinogenicity:** None of the components is listed as a carcinogen or suspected carcinogen by IARC, NTP, OSHA, or the EU CLP.

**Germ Cell Mutagenicity:** Not expected to cause germ cell mutagenicity.

**Reproductive Toxicity:** Not expected to cause reproductive toxicity.

#### Specific Target Organ Toxicity:

**Single Exposure:** None known.

**Repeated Exposure:** None known.

## 12. ECOLOGICAL INFORMATION

### Toxicity:

Sodium Decyl Sulfate: 48 hr EC<sub>50</sub> Daphnia magna: >100 mg/L, 72 hr EC<sub>50</sub> Pseudokirchnerella subcapitata: 8.64 mg/L  
Sodium Lauryl Sulfate: 96 hr LC<sub>50</sub> Cyprinodon variegatus: 4.1 mg/L, 96 hr LC<sub>50</sub> Fathead minnow: 29 mg/L

**Persistence and Degradability:** No data available for mixture.

**Bioaccumulative Potential:** No data available for mixture.

**Mobility in Soil:** No data available for mixture.

**Results of PBT and vPvB Assessment:** No data available

**Other Adverse Effects:** N/A

## 13. DISPOSAL CONSIDERATION

**Waste Treatment Methods:** Dispose in accordance with local, state and federal environmental regulations.

## 14. TRANSPORTATION INFORMATION

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
US DOT	None	Not Regulated	None	None	N/A
Canadian TDG	None	Not Regulated	None	None	N/A
EU ADR/RID	None	Not Regulated	None	None	N/A
IMDG	None	Not Regulated	None	None	N/A
IATA/ICAO	None	Not Regulated	None	None	N/A

**Special Precautions for User:** N/A

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

### U.S. FEDERAL REGULATIONS:

**CERCLA 103 Reportable Quantity:** This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

**SARA Hazard Category (311/312):** Acute Health

**SARA Section 313 Toxic Chemicals:** This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

**EPA Toxic Substances Control Act (TSCA) Status:** All of the ingredients in this product are listed on the EPA TSCA Inventory.

### STATE REGULATIONS:

**California Proposition 65:** This product does not contain chemicals known in the State of California to cause cancer and/or reproductive harm.

### INTERNATIONAL REGULATIONS:

#### CANADIAN REGULATIONS:

**Canadian Workplace Hazardous Materials Information System (WHMIS):** Class D Division 2B (Toxic material causing other toxic effects)

**Canadian Environmental Protection Act:** This product contains one or several components listed on the Non-Domestic Substances list (NDSL).

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

## EUROPEAN REGULATIONS:

**REACH:** Nisus Corp. products comply with REACH regulation as applicable. For more information, contact Nisus Corporation.

**SVHC:** This product contains the following Substances of Very High Concern (SVHCs): None

**Chemical Safety Assessment:** None required.

## 16. OTHER INFORMATION

**NFPA Rating:** Health = 2 Flammability = 0 Instability = 0

**HMSI Rating:** Health = 2 Flammability = 0 Physical Hazard = 0

**SDS Revision History:** 3/4/15: New SDS

03/15/20: Revised

### GHS Classification for Reference (See Sections 2 and 3):

Acute Tox. Cat 4 Acute Toxicity Category 4

Aquatic Chronic Cat 3 Aquatic Chronic Toxicity Category 3

Eye Dam. Cat 1 Eye Damage Category 1

Flam. Solid Cat 1 Flammable Solid Category 1

Flam. Solid Cat 2 Flammable Solid Category 2

Skin Irrit. Cat 2 Skin Irritant Category 2

Skin Sens. Cat 1 Skin Sensitization Category 1

STOT SE Cat 3 Specific Target Organ Toxicity Single Exposure Category 3

H228 Flammable solid

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

### EU Classes and Risk Phrases for Reference

#### (See Sections 2 and 3):

F Highly Flammable Xi Irritant Xn Harmful

R11 Highly Flammable

R20/22 Harmful by inhalation and if swallowed.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

## WARRANTY DISCLAIMER

The information, data and recommendations contained herein are believed to be accurate but may not be all inclusive and should only be used as a guide. The information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the product for his particular use and on condition that they assume the risk of the use thereof. With respect to this publication and the product related thereto, unless otherwise expressly provided by Manufacturer in writing, **MANUFACTURER MAKES NO EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

### Remedy/Liability Limits

The exclusive remedy for losses or damages resulting from this publication or the related product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's sole election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from use of this publication or handling or use of this product, **IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Remedy/Liability Limits** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

Nisus Corporation is a registered trademark of Nisus Corporation. ProFoam is a registered trademark of NPD Products Ltd. and is manufactured and distributed by Nisus Corporation. ©2020 • #BC-SDS-031520a