

## 1 Identification

· **Product identifier**

5197-1SDS

· **Trade name:** Blast Sprayable

· **Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Aquatrols Corporation of America

1273 Imperial Way

Paulsboro, NJ 08066

Telephone: 800-257-7797

**Emergency telephone number:**

- For Chemical Emergency ONLY (spill, leak, fire, exposure or accident), call CHEMTREC at 1-800-424-9300.
- For ALL other inquiries about this product, call 1-800-634-1653.

## 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS06 Skull and crossbones

H301 Toxic if swallowed.



GHS05 Corrosion

H314 Causes severe skin burns and eye damage.

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Corrosive

Causes burns.



Harmful

Harmful if swallowed.

· **Information concerning particular hazards for human and environment:**

The product has to be labeled due to the calculation procedure of international guidelines.

· **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS05, GHS06

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Mineral Acid Salt of Organic Amide

· **Hazard statements**

Toxic if swallowed.

Causes severe skin burns and eye damage.

(Contd. on page 2)

USA

**Trade name: Blast Sprayable**

(Contd. of page 1)

**· Precautionary statements**

*IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a POISON CENTER or doctor/physician.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

**· Classification system:**
**· NFPA ratings (scale 0 - 4)**


Health = 3

Fire = 1

Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**


Health = 3

Fire = 1

Reactivity = 0

**· Other hazards**
**· Results of PBT and vPvB assessment**

**· PBT:** Not applicable.

**· vPvB:** Not applicable.

**3 Composition/information on ingredients**
**· Chemical characterization: Mixtures**

**· Description:** Mixture of the substances listed below with nonhazardous additions.

**· Dangerous components:**

Mineral Acid Salt of Organic Amide	 H301;  H314;  H319	50-100%
------------------------------------	---	---------

**4 First-aid measures**
**· Description of first aid measures**
**· General information:**

*Immediately remove any clothing soiled by the product.*

*Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*

**· After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

**· After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**· After eye contact:**

*Rinse opened eye for several minutes under running water. Then consult a doctor.*

*Call a doctor immediately.*

*Remove contact lenses, if present.*

*Hold eyelids apart and flush with water for at least 15 minutes.*

**· After swallowing:**

*Immediately call a doctor.*

*Drink copious amounts of water and provide fresh air. Immediately call a doctor.*

**· Information for doctor**

**· Most important symptoms and effects, both acute and delayed:** No further relevant information available.

(Contd. on page 3)

**Trade name: Blast Sprayable**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed:**  
Treat symptomatically and supportively.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow undiluted product to enter storm sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols or mists.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

**Trade name: Blast Sprayable**

(Contd. of page 3)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure, mist/aerosol/dust generation or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance**

<b>Form:</b>	Liquid
<b>Color:</b>	Amber colored
<b>Odor:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

· **pH-value at 20 °C (68 °F):** < 1

· **Change in condition**

<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)

· **Flash point:** > 93 °C (> 199 °F)

(Contd. on page 5)

USA

**Trade name: Blast Sprayable**

(Contd. of page 4)

· <b>Ignition temperature:</b>	
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	1.2 g/cm <sup>3</sup> (10.014 lbs/gal)
· <b>Relative density:</b>	Not determined.
· <b>Vapour density:</b>	Not determined.
· <b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>VOC content:</b>	0.1 %
· <b>Other information:</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 6)

USA

**Trade name: Blast Sprayable**

(Contd. of page 5)

 · **Carcinogenic categories**

 · **IARC (International Agency for Research on Cancer)**

111-76-2	2-butoxyethanol	3	0.119%
----------	-----------------	---	--------

 · **NTP (National Toxicology Program)**

No ingredient above de minimis level is listed.

 \* **12 Ecological information**

 · **Toxicity**

 · **Aquatic toxicity:** No further relevant information available.

 · **Persistence and degradability:** No further relevant information available.

 · **Behavior in environmental systems:**

 · **Bioaccumulative potential:** No further relevant information available.

 · **Mobility in soil:** No further relevant information available.

 · **Additional ecological information:**

 · **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

 · **Results of PBT and vPvB assessment**

 · **PBT:** Not applicable.

 · **vPvB:** Not applicable.

 · **Other adverse effects:** No further relevant information available.

 \* **13 Disposal considerations**

 · **Waste treatment methods**

 · **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach waterways or storm sewers. Disposal must be made in accordance with local, state and federal regulations.

 · **Uncleaned packagings**

 · **Recommendation:** Disposal must be made in accordance with local, state and federal regulations.

 · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

 \* **14 Transport information**

 · **UN-Number**

 · **DOT**

Void

 · **ADR, IMDG, IATA**

3265

 · **UN proper shipping name**

 · **DOT**

Void

 · **ADR**

3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)

 · **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)

(Contd. on page 7)

**Trade name: Blast Sparyable**

(Contd. of page 6)

**· Transport hazard class(es)**
**· DOT**
**· Class**

Void

**· ADR, IMDG, IATA**

**· Class**

8 Corrosive substances

**· Label**

8

**· Packing group**
**· DOT**

Void

**· ADR, IMDG, IATA**

III

**· Environmental hazards:**
**· Marine pollutant:**

No

**· Special precautions for user:**

Warning: Corrosive substances

**· Danger code (Kemler):**

80

**· EMS Number:**

F-A,S-B

**· Segregation groups:**

Acids

**· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**· Transport/Additional information:**
**· DOT**
**· Remarks:**

Corrosive to aluminum, Excepted per 49 CFR 173.154(d)(1).

**· UN "Model Regulation":**

UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III

**15 Regulatory information**
**· Safety, health and environmental regulations/legislation specific for the substance or mixture**
**· SARA**
**· Section 355 (Extremely Hazardous Substances):**

No ingredient above de minimis level is listed.

**· Section 313 (Toxic Chemical listings):**

111-76-2 2-butoxyethanol

0.119%

**· TSCA (Toxic Substances Control Act):**

All components of this material are on the US TSCA Inventory or are exempt.

**· Carcinogen categories**
**· EPA (Environmental Protection Agency):**

111-76-2 2-butoxyethanol

CBD 0.119%

**· TLV (Threshold Limit Value established by ACGIH):**

111-76-2 2-butoxyethanol

A3 0.119%

**· NIOSH-Ca (National Institute for Occupational Safety and Health):**

No ingredient above de minimis level is listed.

(Contd. on page 8)

**Trade name: Blast Sprayable**

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration):**

No ingredient above de minimis level is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS05, GHS06

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Mineral Acid Salt of Organic Amide

· **Hazard statements**

Toxic if swallowed.

Causes severe skin burns and eye damage.

· **Precautionary statements**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Regulatory

· **Contact:** Pedro Perdomo

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

· **\* Data compared to the previous version altered.**