

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

### 1 Identification

- **Product identifier**
- **Trade name:** 12-6-8-090
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product description** PC12 Fertilizers
- **Details of the supplier of the safety data sheet:**
- **Manufacturer/Supplier:**  
Florikan ESA, LLC  
6801 Energy Ct. Suite 100  
Sarasota, FL. 34240  
ph: 941-379-4048 ext 332  
Fax: 941-377-3633  
Email product info: Doug Cabe; dcabe@florikan.com
- **Emergency telephone number:** Chemtrec 800-424-9300

www.Florikan.com

### \* 2 Hazard(s) identification

- **Classification of the substance or mixture:**



GHS07

Skin Irrit. 2            H315 Causes skin irritation.

Eye Irrit. 2B            H320 Causes eye irritation.

Aquatic Chronic 3    H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**  
Causes skin and eye irritation.  
Harmful to aquatic life with long lasting effects.
- **Precautionary statements:**  
Wear protective gloves.  
Avoid release to the environment.  
Wash thoroughly after handling.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
If skin irritation occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
If on skin: Wash with plenty of water.  
Take off contaminated clothing and wash it before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

**Trade name: 12-6-8-090**

- **Unknown acute toxicity:**  
45.2 percent of the mixture consists of ingredient(s) of unknown toxicity.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None known

### \* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture: consisting of the following components.

#### • **Dangerous Components:**

CAS: 13397-24-5	Gypsum (Calcium sulfate)	15-35%
CAS: 14977-38-8	Sulfate of Potash Magnesia	15-35%
	⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
CAS: 7783-28-0 RTECS: TB 9375000	Diammonium phosphate	15-35%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	
CAS: 57-13-6 RTECS: YR 6250000	Urea	5-10%
CAS: 7727-37-9 RTECS: QW 9700000	Nitrogen	2-12%
	⚠ Press. Gas, H280; Simple Asphyxiant	
CAS: 7720-78-7 RTECS: NO 8510000	iron(II) sulfate	2-12%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate	2-12%
	⚠ STOT SE 3, H335	
CAS: 1309-48-4	Magnesium Oxide	2-12%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 10034-96-5 RTECS: OP0893500	Manganese(II) Sulfate Monohydrate	≤ 2.5%
	⚠ STOT RE 2, H373; ⚠ Aquatic Chronic 2, H411; ⚠ STOT SE 3, H335; ⚠ Aquatic Acute 2, H401	
CAS: 7758-99-8 RTECS: GL 8800000	Copper Sulfate Pentahydrate	≤ 2.5%
	⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 7733-02-0	Zinc Sulphate (anhydrous)	≤ 2.5%
	⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	
CAS: 1314-13-2 RTECS: ZH 4810000	Zinc Oxide	≤ 2.5%
	⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410	

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

Trade name: 12-6-8-090

### 4 First-aid measures

- **Description of first aid measures:**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation occurs, consult a doctor.
- **After eye contact:**  
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

**Trade name: 12-6-8-090**

Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s):** No further relevant information available.

### \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **Control parameters:**

- **Components with occupational exposure limits:**

#### 13397-24-5 Gypsum (Calcium sulfate)

REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup>  
\*Total dust; \*\*Respirable fraction

TLV Long-term value: 10\* mg/m<sup>3</sup>  
\*as inhalable fraction

#### 57-13-6 Urea

WEEL Long-term value: 10 mg/m<sup>3</sup>

#### 7727-37-9 Nitrogen

TLV withdrawn TLV, see App. F; simple asphyxiant

#### 7720-78-7 iron(II) sulfate

REL Long-term value: 1 mg/m<sup>3</sup>  
as Fe

TLV Long-term value: 1 mg/m<sup>3</sup>  
as Fe

#### 1309-48-4 Magnesium Oxide

PEL Long-term value: 15\* mg/m<sup>3</sup>  
fume; \*total particulate

TLV Long-term value: 10\* mg/m<sup>3</sup>  
\*as inhalable fraction

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

- **Exposure controls:**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not required.

- **Protection of hands:**



Protective gloves

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

Trade name: 12-6-8-090

• **Eye protection:**



Safety glasses

### \* 9 Physical and chemical properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:

Granulate

Color:

Whitish

• **Odor:**

Slight

• **Odor threshold:**

Not determined.

• **Change in condition**

Melting point/Melting range:

Not determined.

Boiling point/Boiling range:

-195 °C (-319 °F)

• **Flash point:**

Not applicable.

• **Flammability (solid, gaseous):**

Not applicable.

• **Ignition temperature:**

Decomposition temperature:

Not determined.

• **Auto igniting:**

Product is not self-igniting.

• **Danger of explosion:**

Product does not present an explosion hazard.

• **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

• **Vapor pressure:**

Not determined.

• **Density:**

Relative density:

Not determined.

Vapor density:

Not determined.

Evaporation rate:

Not determined.

• **Solubility in / Miscibility with:**

Water:

Soluble.

• **Partition coefficient (n-octanol/water):**

Not determined.

• **Viscosity:**

Dynamic:

Not determined.

Not applicable.

Kinematic:

Not determined.

Not applicable.

• **Solvent content:**

Organic solvents:

0.0 %

Solids content:

100 %

• **Other information:**

No further relevant information available.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

Trade name: 12-6-8-090

### 10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

#### 7783-28-0 Diammonium phosphate

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)

#### 57-13-6 Urea

Oral	LD50	8471 mg/kg (rat)
------	------	------------------

#### 7720-78-7 iron(II) sulfate

Oral	LD50	1520 mg/kg (mouse)
------	------	--------------------

#### 7487-88-9 Magnesium Sulphate

Oral	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	>2000 mg/l (rabbit)
	LC50/96 hours	2820 mg/l (Pimephales)

#### 7758-99-8 Copper Sulfate Pentahydrate

Oral	LD50	300 mg/kg (rat)
------	------	-----------------

#### 1314-13-2 Zinc Oxide

Oral	LD50	> 5000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

Trade name: 12-6-8-090

### 12 Ecological information

• **Toxicity:**

• **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

**57-13-6 Urea**

EC50 >10000 mg/l (daphnia)

**7487-88-9 Magnesium Sulphate**

EC50 2700 mg/l (Green algae)

343.56 mg/l (Water flea)

• **Persistence and degradability:** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential:** No further relevant information available.

• **Mobility in soil:** No further relevant information available.

• **Ecotoxicological effects:**

• **Remark:** Harmful to fish

• **Additional ecological information:**

• **General notes:** Harmful to aquatic organisms

• **Results of PBT and vPvB assessment:**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **Other adverse effects:** No further relevant information available.

### \* 13 Disposal considerations

• **Waste treatment methods:**

• **Recommendation:**

Observe all federal, state and local environmental regulations when disposing of this material.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• **Uncleaned packagings:**

• **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

• **UN-Number:**

• **DOT, ADR, ADN, IMDG, IATA**

Non-Regulated Material

• **UN proper shipping name:**

• **DOT, ADR, ADN, IMDG, IATA**

Non-Regulated Material

• **Transport hazard class(es):**

• **DOT, ADR, ADN, IMDG, IATA**

• **Class:**

Non-Regulated Material

• **Packing group:**

• **DOT, ADR, IMDG, IATA**

Non-Regulated Material

• **Environmental hazards:**

Not applicable.

• **Special precautions for user:**

Not applicable.

• **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:**

Not applicable.

• **UN "Model Regulation":**

Non-Regulated Material

(Contd. on page 8)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

Trade name: 12-6-8-090

### \* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

7720-78-7 iron(II) sulfate

- **Section 313 (Specific toxic chemical listings):**

11129-60-5 Manganese oxide

10034-96-5 Manganese(II) Sulfate Monohydrate

7758-99-8 Copper Sulfate Pentahydrate

7733-02-0 Zinc Sulphate (anhydrous)

1314-13-2 Zinc Oxide

- **TSCA (Toxic Substances Control Act):**

7783-28-0 Diammonium phosphate

57-13-6 Urea

7778-80-5 Potassium Sulfate

7727-37-9 Nitrogen

7720-78-7 iron(II) sulfate

7487-88-9 Magnesium Sulphate

1317-61-9 Iron Oxide

1309-48-4 Magnesium Oxide

25791-96-2 Poly(oxypropylene) triol

7758-99-8 Copper Sulfate Pentahydrate

7733-02-0 Zinc Sulphate (anhydrous)

1314-13-2 Zinc Oxide

7631-95-0 Sodium Molybdate

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **Carcinogenic categories:**

- **EPA (Environmental Protection Agency):**

57-13-6 Urea

II

11129-60-5 Manganese oxide

D

10034-96-5 Manganese(II) Sulfate Monohydrate

D

7733-02-0 Zinc Sulphate (anhydrous)

D, I, II

1314-13-2 Zinc Oxide

D, I, II

(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

Trade name: 12-6-8-090

• <b>TLV (Threshold Limit Value established by ACGIH):</b>		
1309-48-4	Magnesium Oxide	A4
• <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
None of the ingredients are listed.		

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms:**



GHS07

• **Signal word:** Warning

• **Hazard statements:**

Causes skin and eye irritation.

Harmful to aquatic life with long lasting effects.

• **Precautionary statements:**

Wear protective gloves.

Avoid release to the environment.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

• **State Right to Know:**

CAS: 13397-24-5	Gypsum (Calcium sulfate)	15-35%
CAS: 14977-38-8	Sulfate of Potash Magnesia	15-35%
	⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
CAS: 7783-28-0 RTECS: TB 9375000	Diammonium phosphate	15-35%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	
CAS: 57-13-6 RTECS: YR 6250000	Urea	5-10%
CAS: 7778-80-5 RTECS: TT5900000	Potassium Sulfate	5-10%
CAS: 7727-37-9 RTECS: QW 9700000	Nitrogen	2-12%
	⚠ Press. Gas, H280; Simple Asphyxiant	
All ingredients are listed.		

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not

(Contd. on page 10)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/28/2015

Reviewed on 07/28/2015

**Trade name: 12-6-8-090**

establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 07/28/2015 / -

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic vPvB:  
very Persistent and very Bioaccumulative Press. Gas:  
Gases under pressure: Compressed gas Acute Tox.  
4: Acute toxicity, Hazard Category 4  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1  
Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2  
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    [www.msdsauthoring.com](http://www.msdsauthoring.com)    +1-877-204-9106