QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: QuickBayt Fly Bait

Other names: None

Product code: 2 Kg - 6347827; 350 g - 6331599 **Recommended use:** Granular bait for nuisance fly control.

Supplier: Bayer Environmental Science – A Business Group of

Bayer CropScience Pty Ltd ABN 87 000 226 022

Address: 391 - 393 Tooronga Road, East Hawthorn

Victoria 3123, Australia

Telephone: (03) 9248 6888 **Facsimile:** (03) 9248 6800

Website: www.bayercropscience.com.au
Contact: Technical Manager (03) 9248 6888

Emergency

Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD

Not flammable.

Hazard designation: Not classified as hazardous according to criteria of NOHSC Australia

Risk phrases: Not applicable
Safety phrases: Not applicable

ADG classification: Not classified as "dangerous goods" for transport by road or rail according to the Australian

Code for the Transport of Dangerous Goods by Road and Rail.

SUSDP Exempt

classification:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/kg):
Imidacloprid	[138261-41-3]	5 g/kg
(Z)-9-tricosene	27519-0204	10 g/kg
Inert constituents	Various	985 g/kg

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (phone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Inhalation: The presentation as a granule means inhalation is unlikely.

The strong odour associated with the product is due to the food-flavouring attractant

blends in the formulation and is not associated with the active ingredient.

Skin contact: Wash skin immediately with copious amounts of soap and water.

Eye contact: Rinse eyes immediately with running water for 15 minutes.

Ingestion: This product contains a taste deterrent and ingestion of large quantities is unlikely. The

product has low toxicity by the oral route.

First Aid Facilities: Provide washing facilities in the workplace.

Symptoms: In the unlikely event of ingestion of sufficient quantities of the product to cause poisoning;

symptoms of intoxication that may arise include: apathetic state, depressed muscular tone, respiratory disturbance and trembling. Muscular cramps are also possible in severe

cases of poisoning.

Medical attention: Apply basic aid and decontamination procedures. Treat symptoms.

5. FIRE FIGHTING MEASURES

Extinguishing media: Carbon dioxide, water, dry agent, foam

Hazards from combustion products:

No information available.

Precautions for fire

Fight fire in the early stages if safe to do so. Wear respiratory protection.

fighters: Well ventilated areas: wear full face mask with combination filter eg., ABEK-P2 (offers no

protection from carbon monoxide)

Enclosed premises: wear respirator with independent air supply. Make provision for product and fire-fighting water to be retained.

6. ACCIDENTAL RELEASE MEASURES

If spillage occurs, prevent spillage from spreading or entering waterways and underground drains.

Sweep up spillage and place in a sealable container.

On completion of clean-up, scrub area with detergent and water and rinse with water.

Do not smoke, eat or drink during clean-up operations.

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

HANDLING AND STORAGE

Handling: Keep out of reach of children.

Storage: Store below 30°C

Do not store in direct sunlight. Store in the closed, original carton in a cool place.

Do not destroy carton while product remains.

EXPOSURE CONTROLS / PERSONAL PROTECTION

NOHSC exposure standards have not been established for imidacloprid or for any of the **Exposure standards:**

inert constituents of this formulation.

Engineering controls: No engineering controls are required in the normal use of this product.

Personal Protective Wear gloves during handling of product.

Wash hands after use. **Equipment:**

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale red granules

Odour: Strong characteristic (cheese like) smell Vapour pressure: 4 x 10⁻⁷ mPa at 20° C (imidacloprid)

Vapour density: Not available **Boiling point:** Not available Solubility: Not soluble in water 0.55 - 0.70 g/mLDensity: pH: 5.5 – 6.5 at 1% in water Flash Point: No flash point up to 100°C.

Solid products BZ 5 = burning with flames or flying sparks

combustibility

Auto-ignition 355°C

temperature:

Octanol/water Imidacloprid: Log $P_{ow} = 0.57 (21^{\circ} C)$

partition coefficient:

Formulation: Granular Bait (GB)

10. STABILITY AND REACTIVITY

Chemical stability: Product is not classified as flammable.

Hazardous None

polymerisation:

Conditions to avoid: Keep away from sources of ignition and strong oxidising agents as a precaution.

Incompatible

Not available

materials:

No information available. Hazardous

decomposition products:

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation: Presentation as a non-dusty granule mean inhalation is unlikely. The product does have a

strong odour associated with it which some people may find offensive. This odour is

associated with some flavourings in the bait and not the active ingredient.

Skin contact: Studies have shown no potential for skin irritation.

Eye contact: Eye irritation may occur if contact occurs.

Ingestion: The product exhibits low toxicity by the oral route.

Other: None

ANIMAL TOXICITY DATA - PRODUCT:

Acute:

Oral toxicity: LD_{50} rat: > 2500 mg/kg

Dermal toxicity: LD₅₀ rat: > 2000 mg/kg

Inhalation toxicity: Not applicable

Skin irritation: Not irritating – rabbit

Eye irritation: Not irritating – rabbit (according to EC-Commission directive 67/548/EEC)

Sensitisation: Not sensitising - guinea pig

Chronic:

Animal studies show no evidence of oncogenic effect, no evidence of carcinogenic effects and no teratogenic potential for imidacloprid.

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

12. ECOLOGICAL INFORMATION

Imidacloprid is toxic to certain aquatic species. Dangerous to bees.

Do not contaminate ponds, waterways or drains with the product or used containers.

Fish toxicity: lmidacloprid:

Fish toxicity:

LC₅₀: 237 mg/L (96 h); golden orfe (*Leuciscus idus melanotis*) LC₅₀: 211 mg/L (96 h); rainbow trout (*Oncorhynchus mykiss*)

LC₅₀: 280 mg/L (96 h); carp (*Cyprinus carpio*)

Aquatic invertebrate toxicity:

EC₅₀: 0.055 mg/L (48 h); *Hyalella azteca* EC₅₀: 85 mg/L (48 h) *Daphnia magna*

Algae toxicity:

EC₅₀: > 100 mg/L (72 h); green alga (*Pseudokirchneriella subcapitata*)

Bacteria toxicity:

EC₅₀: > 10000 mg/L; activated sludge (OECD 209)

Bird toxicity:

Acute oral LD₅₀: 31 mg/kg; Japanese quail Acute oral LD₅₀: 152 mg/kg; bobwhite quail

Environmental fate, persistence and degradation:

Imidacloprid shows a medium adsportion to soil. Classified as immobile in soil. Not

expected to leach.

13. DISPOSAL CONSIDERATIONS

1) After intended use:

350 g pack: Shake container empty when completing use and dispose of empty container by wrapping with paper and putting in the garbage.

2 Kg Pack: Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

2) After spill or accident:

Dispose of sealed containers at an approved local disposal site.

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

14. TRANSPORT INFORMATION

UN number: Not applicable **Proper shipping** Not applicable

name:

Class and Not "dangerous goods" for transport by road or rail according to the Australian Code for the

Subsidiary Risk: Transport of Dangerous Goods by Road and Rail.

Packing Group: Not applicable EPG: Not applicable Hazchem code: Not applicable

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988

APVMA Approval Number: 57892

16. OTHER INFORMATION

Trademark QuickBayt® is a Registered Trademark of Bayer

information:

Preparation First edition.

information:

Data sources: Bayer CropScience Pty Ltd product safety data and published data

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS